SITE ADDRESS: 20716 CALIFORNIA, ST. CLAIR SHORES, MI 48080

April 7, 2014

You are invited to submit a BID for rehabilitation work to be completed for:

CITY OF ST CLAIR SHORES –VACANT HOUSE
20716 CALIFORNIA
ST CLAIR SHORES MI 48080

Bids must be taken to the City of St. Clair Shores, 27600 Jefferson Circle Drive, St. Clair Shores, Michigan, CITY CLERK'S OFFICE, no later than TUESDAY, April 29, 2014, 10:30 A.M.

The bids will be opened at the City of St. Clair Shores, at which time and place all bids will be opened. Homeowners and contractors are welcome to be present.

Bids for said work, which have been submitted, shall not be withdrawn after the time set for opening of bids. All bidders will be notified of the results.

MANDATORY PRE-BID WALK THRU INSPECTION IS WEDNESDAY APRIL 16, 2014, FROM 9 AM – 10 AM AT THIS HOUSE.

The City will not be responsible for any misinterpretations of the job specifications for failure of contractor/sub-contractor that does not attend this on-site inspection. Proposals will only be accepted from contractors that attend the mandatory walk-thru.

All bids must be submitted on forms supplied by the City of St. Clair Shores. Special conditions, which may be unforeseen, may be made or included in the bid form by the bidder. Addendum and change orders may be considered based upon inspection and written agreement with the Rehabilitation Coordinator and the Homeowner(s).

The bid shall be enclosed in envelopes which shall be sealed and clearly labeled with the words **"Rehabilitation Bid, contractor's name, homeowner's name, homeowner's address, and due date and time of bid,"** in order to guard against premature opening of the bid.

The City may consider as irregular any bid on which there is an alteration of, or departure from the bid form hereto attached, and at its option may reject the same. **Include all permit fees in bid**. Erasures or other changes in the bid must be explained or noted over the signature of the bidder

Christopher R. Rayes
Community Services Director
(586) 447-3337
(586) 445-4098 – FAX
EMAIL chris@scsmi.net

CITY OF ST. CLAIR SHORES
BID REQUEST

DATE DUE: **TUESDAY, APRIL 29, 2014 BY 10:30 A.M.**

HOMEOWNER **CITY OF ST CLAIR SHORES**

SITE ADDRESS: **20716 CALIFORNIA**
ST CLAIR SHORES MI 48080

CONTRACTOR _____
Company Name

ADDRESS _____

_____

PHONE # / EMAIL _____

_____
(PRINTED NAME OF QUALIFYING OFFICER)

_____
(SIGNATURE OF QUALIFYING OFFICER – REQUIRED)

TOTAL BID FOR 20716 CALIFORNIA PROJECT:

$_____
(NUMERIC PRICE) – BASE BID ONLY. Alternates will be considered separately.

$_____
(BID WRITTEN OUT IN WORDS)

** NOTE: CONTRACTOR MUST RETURN THIS BID FORM ALONG WITH THE BID SPECIFICATIONS LISTING THE BID PRICING FOR THE WORK REQUESTED.

THE LOWEST OVERALL BIDDING CONTRACTOR WILL BE AWARDED, PENDING REVIEW AND APPROVAL OF BID PACKAGE, CONTRACTOR APPLICATION/QUALIFICATIONS.
CONTRACTORS MUST SUBMIT A COPY OF THEIR LICENSE, CERTIFICATE OR INSURANCE THAT INCLUDES GENERAL LIABILITY, WORKMEN'S COMPENSATION AND VEHICHLE INSURANCE.

The List of Specifications does not mean that other items that need repair may not exist, and this specification is not intended to be exhaustive. We approach each property to review for hazards, weatherization energy efficiency, lead-based paint, health issues, and repairs requested within the allowable budget restrictions.

Any new work shall be in compliance with the specifications and with the current Building, Electrical, Plumbing, and/or Mechanical Residential Code. **Appropriate permits, inspections and fees are required.**

In order to provide guidance for the property owner and contractors when conducting any renovation, maintenance, or potential future disturbance of painted surfaces, they should refer to the manual developed by HUD titled "Lead Paint Safety: A Field Guide for Painting, Home Maintenance, and Renovation Work." This manual can be found for free on the Internet at Http://www.hud.gov/offices/lead/training/LBPguide.pdf. Please download a copy of this manual before disturbing any painted surfaces within the residence. If access to the Internet is not available, you may order a copy at 1 (800) 424-5323.

Contractors are responsible to apply and pay for all permits. The City's 24-hour inspection line is (586) 447-3344. The contractor is to supply the City with a certificate of insurance for general liability, workmen's compensation, and vehicle insurance.

THE CITY RESERVES THE RIGHT TO REJECT ANY OR ALL PROJECT BIDS/PROPOSALS.

ALL PRODUCTS SHOWN ARE HOME DEPOT NUMBERS EXCEPT FOR THE BATHROOM MIRROR (Lowes).

THE WORK CONSISTS OF THE PLANS AND SPECIFICATIONS. CONTRACTORS ARE RESPONSIBLE TO MAKE THEMSELVES FAMILIAR WITH ALL OF THE DOCUMENTS AND BE RESPONSIBLE TO COMPLETE ALL OF THE WORK.

LIST OF REPAIRS:

First Floor: (bid to incorporate and include all work shown on plans)

Note: the entire first floor has been stripped to the studs and to the sub-floor.

Drywall / Insulation

Remove any fasteners left behind on the studs and joists from demolition work.
Insulate the entire first floor with 3“ closed cell spray foam. Include the perimeter of the Utility Room adjacent to the crawl space and exterior wall and the ceiling areas open to the attic areas and the two walls of the second floor adjacent to the attic area.

Install 1/2” drywall on all ceiling and walls on first floor including any new framing/reconfiguration work – except in bathroom.

Hardwood Flooring

Repair broken and soft 1” x 6” sub-floor boards throughout the first floor.
Remove any fasteners left behind from the removal of the previous flooring.
Install #15 building paper over the entire first floor or manufacturer’s recommend product.Install ¾” tongue and grove oak flooring in front room, dining area, first floor bedrooms (2) and first floor hall way. Sand hardwood flooring and install 2 coats of polyurethane product. Install new wood shoe molding around perimeters of all floors and install polyurethane on molding.

Install 3 ¼” paint grade wood baseboards around perimeter of all rooms except bathroom.

HARDWOOD FLOORING TOTAL **$_____**

Alternate No. 1

Install ¾” plywood over subflooring in two (2) first floor bedrooms in lieu of hardwood. (No finish flooring to be included). Install new 8” pad and carpet.
Carpet – max $3.00 a sq. foot. City to choose color and style.

Alternate No. 1 **Add or Deduct** **$_____**

Alternate No. 2
Install ¾” plywood over subflooring in front room, dining area and hallway. (No finish flooring to be included). Install new 8” pad and carpet. Carpet – max $3.00 a sq. foot.

City to choose color and style.

Alternate No. 2 **Add or Deduct** **$_____**

Doors / Windows

Provide new pre-hung Jeld Wen swing doors with satin nickel hinges - Model THDJW137100055. (refer to plan for size and location of doors)

Model 28332 (Bi-Fold, refer to plan for size and location of doors)

Door Handles - General
Model 700484 - satin nickel (passage) all doors.
Model 700492 - (privacy set) new door in upper bedroom and bathroom satin nickel

Model 123281.0 - satin nickel (knob – Bi-fold doors)
Door Stops – model 15576 satin nickel, one per swing door new and existing.

Windows

Install White –marble sill at all first floor window. Caulk as required. None required at utility room windows.

Doors & Windows **$_____**

Bathroom

Vanity – model GAWA4822D
Vanity top – model CV2249-010
Faucet – model 35984LF-BN
Tub – model 2390.202.020
Toilet – model 3378.128ST.020

Ceramic Tile & Accessories

Remove existing tile floor and substrate in bathroom. Contractor to install new substrate per manufacturer's requirements to accept new floor tile.
Floor tile – item number FDXMHMWD
Wall tile – item number U072-12M (12x 12 brick mosaic tile – bright snow white)
Wall tile (Bullnose) – model number U072-A4200-1 (2x6 – bright snow white)
Accent Tile - item number K111S42691P2 (3x6 black subway tile)
Floor Base - item number U072-AT3401-1 (4 ¼" x 4 ¼")
Soap Dish – model 178701
Ceramic Shelf – model 0100BA7801P
Toilet Paper Holder – model DE2497W
Towel Bar – Franklin 24" model D8024W (2 required)

Install one (1) 34” x 42” beveled edge mirror above vanity – (Lowes item number 89165.)

Install tiles in accordance with manufacturer’s installation instructions. See elevations for pattern and limits of tile.

Install vanity top over new vanity. Connect lavatory to new pvc drain line.

Install new nickel satin lavatory faucet. See attached product specification. Remove abandon galvanized supply lines and reroute copper supply lines inside cavity of stud wall. Install new shut off valves to sink inside of new vanity.

Install new tub access drywall panel in linen closet with new white wood painted casing.

Apply one coat primer, two coats paint - all surfaces painted Sherwin Williams – SW7004 Snowbound, trim and door satin white.

Install new nickel robe hook on back of door.

Bathroom Total: **$**_____

Utility Room (bid to incorporate and include all work shown on plans)

Install new 48” x 24” deep cabinet (install 6” from wall) with one interior shelf with new 30” deep laminate countertop and 4” backsplash to match kitchen laminate and new 18” W x 24” D x 84” H pantry cabinet to match same in kitchen on north wall.
(See plan for location)

Construct new 2x4 treated wood floor system. Secure and shim to provide a solid structure. Spray foam floor with 3” of closed cell insulation. Do not install new floor system around access panel to crawl space – see plan for limits/details. Provide sheet flooring and substrate to accept flooring. Construct new enclosure around furnace and hot water tank, around access panel, soffit above the new cabinet and above stairs into main floor area and knee wall at exterior wall of room. Install two new wood louver doors on furnace enclosure.

Utility Room Work : **$**_____

Upstairs Bedroom/Stairwell/Closets

Remove carpeting from stairs, all trim and mouldings in staircase to bedroom and upper floor bedroom suite and dispose. Frame in opening and patch to match adjacent surfaces in hall way. Dispose of all materials.

Install new paint grade 3 ¼" wood baseboards around perimeter of bedroom and hallway.

Install new ½" drywall over existing wall surfaces and ceiling. Repair any damaged wall surfaces that may remain. Tape, mud, sand, and prime. Prepare all ceilings, walls, inside all closets of imperfections by skim coating, patching, and sanding.

Apply one coat of latex primer on entire ceilings, walls.
Apply two coats of Sherwin Williams latex SW7757 High Reflective White paint on all ceilings.
Apply two coats of latex eggshell paint on walls – Sherwin Williams SW 7030, Anew Gray, trim satin white on all walls except the bathroom.

Apply two coats of white satin latex paint on all baseboards, window, door, and closet casings. Apply Sherwin Williams SW7757 High Reflective White satin latex paint on inside of all closets and shelving.

Upstairs Bedroom/Hallway/Closets **$_____**

Kitchen (bid to incorporate and include all work shown on plans)

Install new "Quality Cabinets."
Install "Woodstar series, Birch wood, Harborview style, Clove finish cabinets, and toekicks. 42" Upper cabinets.
Install matching mouldings around perimeter of upper cabinets and filler panels as needed.
See plans for cabinet layout. Contractor responsible to field verify accuracy of selection for fit. Any changes to be approved by the owner.

Install new laminate countertop with 4" backsplash. Standard styles, color, and finish.
Color - Wilsonart 4932-38 Golden Juparana.

Install materials in accordance with manufacturer's installation instructions.
Cut hole in countertop and sink base in order for plumber to install double bowl sink and new dishwasher, dishwasher water line/shut off valve, and dishwasher drain line.

Install new vinyl sheet goods in kitchen, utility room stairs and utility room floors.
Install new wood baseboard on walls and install hardwood shoe molding around perimeter.
Include metal nosing and transition strips as needed.

$3.00 per square foot for new vinyl - Contractor to provide samples to owner to choose color and style.

Kitchen Total: **$**_____

Southeast and Southwest Bedrooms (bid to incorporate and include all work shown on plans)

Note: electrical service to be moved out of closet and installed in wall just outside of bathroom. New main disconnect will remain in closet. See plans for location of new service panel.

Reconfigure closet as shown on plans. Installation of drywall and flooring under previous heading.

Bedrooms: **$**_____

ELECTRICAL (bid to incorporate and include all work shown on plans)

1. Remove existing service feed on back of house and replace/reconfigure to attach to new riser at service meter to appropriate height.
2. Remove the existing electrical service panels in the southeast bedroom closet. Install new 100 amp, 30 space minimum circuit breaker service panel, UL listed at location shown on plan. Insure furnace, a/c, garbage disposal, dishwasher, electric range, microwave, refrigerator, laundry, and (2) 20 amp kitchen accessory circuits are all on separate circuits. Properly label service panel.
3. Remove existing wiring and rewire entire house to code. Add additional circuits as shown on plans.
4. Properly ground service panel inside and outside back to water meter.
5. Providing cable TV feeds to locations shown on plan from existing service provider connection.
6. Provide and install the following fixtures:
   a. Model EFG8012A-BN (Bedrooms)
   b. Model P2021-09 (Bathroom)
   c. Model P3926-09 (Kitchen/Dining Area)
   d. Model 20129A (Kitchen pendant above sink)

7. Install light fixtures in all rooms as detailed on plans.
8. Install hardwired smoke detector as shown on plans.
9. Install hardwired combination smoke/carbon monoxide detector in Utility Room.
10. Install new white outlets and white toggle switches and white plastic cover plates for all device locations.

Total Electrical project: **$**_____

PLUMBING (bid to incorporate and include all work shown on plans)

1. Install new 20 gage, 9" deep stainless steel double bowl sink in kitchen counter. Elkay or equivalent, for installation in a 36" sink base.
   $_____
2. Install new ½ hp garbage disposal, Badger 5 or equivalent.
   Install pig tail and properly secure to electrical. $_____
3. Install new Kohler "Cruette " Model #K-780-VS, single handle kitchen faucet with pull down sprayer side sprayer in stainless steel finish. Install new braided water supply lines with shut off valves.
   $_____
4. Install new dishwasher**, black, Energy Star, tall tub**.
   Whirlpool Front Control dishwasher Model WDF310PAAB.
   Install drain and connect to garbage disposal.
   Install ½" water supply line with shut off. $_____
5. Install new laundry tub, chrome faucet, water supply lines, and ball valve shut off valves. Install 19 gallon Mustee 15F with stopper and heavy gauge steel legs with built in levelers or equivalent. Install new chrome 4" o.c. dual handle faucet with a 6" swing spout with aerator and hose end; new 1 ½" pvc tail pipe, t-trap, and waste line and brass vacuum breaker.
   Install new studer vent into existing washing machine drain.
   $_____
6. Remove water meter shut off valves and replace with new ball valve shut off valves.
7. Install Oatey Washing Machine Outlet Box (Model 38398) in laundry room.
8. Extend floor drain in Utility Room to surface of new floor and provide a drain inside new furnace enclosure for condensate line.

All new work shall be in accordance with manufacturer's installation instructions and per the 2009 Michigan Residential Plumbing Code.

Total Plumbing Project: $_____

MECHANICAL (bid to incorporate and include all work shown on plans)

1. Install new 4" metal smooth interior dryer duct line from vent to proposed dryer location.

2. Install one new cold air return in each of the first floor bedrooms.

3. Remove existing gas piping in Utility Room and re-install with new feed for the gas dryer. Remove copper feed to fire place and replace with gas piping. Provide new AGA shut off valve.

4. Remove furnace for installation of new floor system. Reinstall upon completion of floor system. Locate the furnace and water tank east of the current location for ease of maintenance. Install new AGA shut off valve for furnace.

5. Water Heater
   Remove existing water heater and accessories.
   Install new gas 40 gallon water heater.
   Bradford White, Lochinvar, or equivalent.
   Install ball valve shut off valve.
   Install in accordance with current mechanical code.

All new work shall be in accordance with manufacturer's installation instructions and per the 2009 Michigan Residential Mechanical Code.

Mechanical permit and inspection required.

Total Mechanical Project: **$_____**

Clean Up – Contractor to thoroughly clean the interior of the property. Work shall also include cleaning inside and outside of all windows.

General Painting Information

PAINT

<u>Interior Painting</u>

Tool/Material Checklist

Sandpaper	stepladder	roller pan	wire brush
Scraper/putty knife	spackling compound		paint brushes/rollers
Wire brush	mixing bucket		dropcloths
Wiping cloths	painter's masking tape		

Use latex paint. The finish will be listed on room sites.

Brushes

Brushes are made with natural or synthetic bristles. Natural bristles (china bristle) should never be used with water based paint because the bristles absorb water and become mop-like. The tips of natural bristles are flagged to offer more brushing surface and hold more paint. Use natural bristles for alkyd-based paints. Synthetic (nylon) bristle brushes can be used for any paint.

Check for thick, soft, resilient bristles held in place by a sturdy metal ferrule. Cheap brushes lose bristles in the paint and will not provide a smooth finish.

Interior paint jobs can be handled with two brushes: a 3" flat brush and an angled sash brush. The 3" flat brush is the brush you will use most often. Its tapered bottom will paint a fine line, but it is broad enough to cover large surfaces. The sash brush is angled for crisp lines on trim, molding, and window parts.

Rollers

A roller has two parts: frame and cover. Come in several sizes with varying thickness and composition of the nap. Short nap about ¼" is used to apply paint to smooth surfaces as gypsum wallboard and plaster. Medium nap covers used for semi-rough surfaces. Long nap covers are used for rough surfaces as concrete block, stucco, and brick.

Removing paint and wallpaper

Old paint that is peeling, blistered, or alligatored should be scraped smooth or stripped entirely. Loose paint must be removed with a scraper. If the paint removal leaves cracks and depressions, fill them with joint or spackling compound and smooth them with medium-grit sandpaper.

Lead Paint

If a lead paint inspection is required, a full report would be attached if the levels are over the HUD allowable limits. Only Lead Abatement Contractors would be allowed to complete this type of project. See attached "Work Safe Paint Practices." These practices should be followed on any construction project.

Wallpaper

Using a wallpaper steamer or use glue-loosening chemicals that you buy for paper removal. Scrape paper with a razor knife. When all the paper is off, scrub the wall with a solution of hot water and trisodium phosphate (TSP. TSP is a cleaner.

Room Preparation

The room should be prepared as per the attached Figure 3. Walls are cleaned, slick spots roughened and patches smoothed with sandpaper and old paint scraped and patched. The floor and contents should be covered.

Switch and outlet face plates shall be removed from the wall. Wall and ceiling lighting fixtures are either removed or loosened from wall or ceiling to permit enclosing them in plastic bags or taped. Hardware such as door knobs, picture hooks, and thermostat covers have been removed.

Paint Procedures

1) Ceiling
2) Walls
3) Trim
4) Doors
5) Windows

Use primers as stated. Primer is used to seal in stains and to provide a consistent surface that enhances the bond between the finish paint and the surface.

Painting techniques

Start by painting a clean edge where a ceiling meets a wall of another color and along all edges where paint stops. Cutting in is best done with a brush, although roller covers and paint pads are made for this.

When painting a wall and ceiling different colors, the standard approach is to let the lighter of the two colors overlap this edge, cutting in the darker of the colors over it. Use a painting edge if needed.

If moldings are finished wood and we don't want paint on them, mask off with painter's masking tape.

Once the room's outline is all cut, roll the ceiling and walls. Distribute paint over the entire roller and evenly. Do not overload the roller with paint. Use a zigzag pattern then with parallel strokes at a 90 degree angle to the original zigzag. Roll up and down. Look for skipped spots. Go over these areas with a fairly "dry" roller cover.

Remove all tape and protective coverings. Properly dispose of items. Reinstall all electrical cover plates and hardware. Clean up all areas.


Remove satellite dish pole and accessories
Remove electrical pane - see plan for new location
Remove existing closet framing. See new work plan for layout
Remove tile flooring
Remove tile floor and underlayment
Remove pantry
Remove screen door
Remove HW tank
Remove portion of framing
2'-2"
Remove existing closet framing. See new work plan for layout

First Floor Plan - Demo


Demo
Notes:
1. Remove all wallpaper, mouldings and 1x2 boards.
2. Replace any disturbed insulation
Remove carpeting on stairs
Cut back shelving for new duct configuration. Patch floor once supply register is relocated
Remove light fixture
34W30H Opening
Remove existing door and frame. Expand opening for new larger door.
Remove shelving
Access Door
Access Door

Second Floor Plan - Demo


25'-6"
11'-2"
11'-2"
10'-4"
4'-1"
10'-3"
New shelf and rod
New Work
Notes:
1. Install 5/8" gyp bd. on all walls and ceilings on first floor, including laundry room. Bathtub shall have cement backer board in lieu of gyp.bd.
2. Provide 4 new shelves in both linen closets
3. Provide kitchen layout plan for approval.
4. See Specifications for product selection for each room
5. Provide shelf and rod for three (3) closets on first floor (2 bedroom and coat closet)
6. Provide dishwasher - see specifications for make/model
7. Provide kitchen cabinet layout for final approval
8. Patch damaged or broken 1 x _ sub-flooring
9. Hatched area - Alternate No.1
10.Remove/date and surface mold/mildew.
11.Linoleum in Kitchen and Utility Room
12.Be sure to coordinate bathroom door to clear edge of countertop
New stairs - 3 risers. Shift south to align w/modified opng. w/wall mounted handrail
Line of soffit
48" base cabinet 2 doors/2 drawers with filler panel
New pantry
Fireplace
Edge of hardwood
Cut back west wall, install new wing wall and header. (Level sag in joists above)
Shelf and rod
reframe closet

First Floor Plan - New Work



Second Floor Plan - New Work

REFERENCE USE ONLY
Contractor is responsible to verify all dimensions and accuracy.




Electrical
Notes:
1. Contractor to make himself familiar with the site and be responsible to install a complete system to meet the 2009 National Electric Code
2. Fixtures, switches, outlet locations are schematically located.
3. Remove existing wiring and unused boxes, etc that are not reused in the renovation.
4. See Specifications for product selection for each room
5. The contractor is responsible to reconnect any item not replaced.
Legend
Outlet
Switch
Hardwired smoke detector
Smoke/Carbon monoxide detector
2 lamp fixture type
3 lamp fixture type
Fluorescent Fixture
Pendant fixture
Exhaust Fan

First Floor Plan - Electrical



Second Floor Plan - Electrical


Mechanical
Notes:
1. Contractor to make himself familiar with the site and be responsible to install a complete system to meet the 2009 MI Plumbing & Mechanical Code
2. Contractor responsible to test existing system and correct any breaks or leaks in system
3. Install new shower head, handles, etc, on existing plumbing
4. Replace galvanized drain line in bathroom and kitchen with new PVC drain line.
Extend supply duct to edge of new partition
Disconnect furnace and HW tank for installation of new elevated floor. Reinstall and adjust duct and piping as needed for proper connection. Move both unit about 3' east to allow for easy access to furnace.
Adjust exhaust vents for HW tank and furnace to fit inside new bulkhead above counter
Rework supply duct to second floor to be concealed in stud cavity. Relocated cold air return in living to allow for relocation.
Sink
Washer (NIC)
Dryer (NIC)
Remove abandoned galv water lines in wall cavity and relocate copper lines into cavity
Relocate gas line east of new 9" cabinet for proposed stove location. Provide new AGA valve
Dishwasher - base bid

First Floor Plan - Mechanical



Second Floor Plan - Mechanical



1 Utility Rm - West Elevation



2 Kitchen - East Elevation



3 Kitchen - South Elevation



4 Kitchen - West Elevation



5 Bathroom - South Elevation



6 Bathroom - West Elevation



7 Bathroom - North Elevation



8 Bathroom - North Elevation



9 Utility Room Elevation


Outlet
CTV
New fireplace surround (Paint to match hardwood floors)
Black subway tile - fur out substrate flush to brick behind glass doors - Install tile to edge of opng.
Mahlstein glass doors and gas log insert - test and repair any leaks, clean doors and inside fireboxlogs.

10 Fire Place Elevation

Your Store:
N Chesterfield, MI

Your Store: **Chesterfield, MI**

Dreamwalls 36-in x 42-in Beveled Edge Mirror

Item #: 89165 | Model #: 41211

Be the first to

$183.24

FREE
Store Pickup
Your order will be ready for pickup from **Lowe's Of N Chesterfield, MI by 04/14/2014**.

Lowe's Truck Delivery
Your order will be ready for delivery to you from **Lowe's Of N Chesterfield, MI by 04/14/2014**.

Parcel Shipping
Unavailable for This Order
Sent by carriers like UPS, FedEx, USPS, etc.

Dreamwalls 36-in x 42-in Beveled Edge Mirror **$183.24**

Tweet 20 g+1 4<4

Description

36-in x 42-in Beveled Edge Mirror

- 1/4" (6mm) mirror is the professional's choice
- Beautiful beveled edge for added sparkle
- Installs easily using clips & screws, or j-channel and clips
- Can be hung vertically or horizontally

Specifications

Width (Inches)	36.0	Edge Type	Beveled
Height (Inches)	42.0	Hardware Included	No
Shape	Rectangle	Package Contents	1 mirror
		Color/Finish Family	Other

© 2014 Lowe's. All rights reserved. Lowe's and the gable design are registered trademarks of LF, LLC

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

American Standard Cadet 3 Flowise 2-piece 1.28 GPF High Efficiency Elongated Toilet in White

Model # 3378.128ST.020 Internet # 202964035
Store SKU # 207179

★★★★½ (98) | Write a Review | Ask & Answer (30)

$178.00 / each

1 in Stock at Madison Heights #2731
Aisle 10 Bay 011
(change pick up store)

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): GU,PR,VI

PRODUCT OVERVIEW

Update the look of your bathroom with help from the Cadet 3 FloWise Toilet. The toilet offers a 2-piece design with a separate tank and elongated bowl. This functional and efficient toilet includes a seat, cover and wax ring for convenience.

- 2-piece design features a separate tank and bowl
- Elongated bowl for greater comfort
- ComfortHeight design features a height comparable to that of a standard chair to make sitting down and standing up easier for people of all ages
- WaterSense certified high-efficiency design uses 1.28 gpf for significant water savings
- Constructed with durable vitreous china for cleaner, long-lasting use
- Cadet 3 flushing system with 2-1/8 in. glazed trap-way and oversized 3 in. flush valve for a powerful flush
- Includes plastic seat and cover with EverClean surface, wax ring for easy installation
- Everclean surface inhibits the growth of stain and odor-causing bacteria, mold, and mildew
- 5 Year warranty
- Note: Product may vary by store.

SPECIFICATIONS

Assembled Depth (in.)	30.25 in	Assembled Height (in.)	30.25 in
Assembled Width (in.)	17.25 in	Bowl Height	Standard
Bowl Shape	Elongated	Certifications and Listings	ADA Compliant
Color Family	White	Color Family	White
Color/Finish	White	Complete Toilet Kit	Yes
Flushing System	Gravity Fed	Gallons Per Flush	1.28
Manufacturer Warranty	Limited 5-year	Material	Vitreous China
Product Depth (in.)	30.25	Product Height (in.)	30.25
Product Weight (lb.)	88	Product Width (in.)	17.25
Returnable	90-Day	Rough In Size	12
Toilet Bowl Height (in.)	16.5	Toilet Type	Two-Piece
Waterless?	No		

SHIPPING OPTIONS

Most orders process within 1 business days.

Please allow 5-10 business days for **Basic Home Shipping (No Appointment)** in the Continental U.S., plus order processing time. Basic Home Shipping includes delivery to your doorstep or first dry area outside with no signature or appointment required. Delivery services for this item may be upgraded for an additional fee.

Other Delivery Options:

Threshold Home Shipping (By Appointment): Delivery in the Continental U.S. within 5-10 business days, plus order processing time. Threshold Home Shipping includes delivery across your first doorway or threshold (i.e. into garage, backyard, or first room of the home). The carrier will contact you to make a delivery appointment with a 4 hour window once the items have arrived at the local hub in your area. Delivery appointments are required.

White Glove Home Shipping (By Appointment): Delivery in the Continental U.S. within 5-10 business days, plus order processing time. White Glove Home Shipping includes delivery to the room of your choice, unpacking and debris removal. Assembly is not included. The carrier will contact you to make a delivery appointment with a 4 hour window once the items have arrived at the local hub in your area. Delivery appointments are required.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

American Standard Princeton 5 ft. Bathtub in White

Model # 2390.202.020 Internet # 100039736
Store SO SKU # 344024

★★★★½ (19) | Write a Review | Ask & Answer (7)

$278.83 / each

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): GU,PR,VI

PRODUCT OVERVIEW

Choose the American Standard Princeton 5 ft. Bathtub in White to add comfort and versatility to your bathroom. Made of sturdy Americast, this tub offers the strength of cast iron with comparatively less weight. Its recessed tub design features a slip-resistant floor, integrated lumbar support and a built-in headrest.

- Durable Americast construction is designed to be noticeably lighter than cast iron for easy installation
- Recessed bath design with integral apron and tiling flange
- Deep, flat and roomy tub design
- Temperature insulation qualities designed to compare favorably with acrylic
- Left-handed outlet
- Full slip-resistant coverage on the tub floor
- Integral lumbar support and a beveled headrest on the tub interior
- Made in USA

SPECIFICATIONS

Assembled Depth (in.)	60.00 in	Assembled Height (in.)	14 in
Assembled Width (in.)	30 in	Built-in flange	Yes
Certifications and Listings	No Certifications or Listings	Color Family	White
Color Family	White	Color/Finish	White
Exterior bath shape	Rectangle	Faucet mount	Wall
Included	No additional components or accessories are included	Installation type	Apron Front
Manufacturer Warranty	Limited Lifetime	Material	Other
Material	Composite	Maximum Number of Occupants	1
Product Weight (lb.)	110	Returnable	90-Day
Shape	Rectangle	Shower Features	Built-In Flange
Tub depth (in.)	9.5	Tub height (in.)	14
Tub length (in.)	60	Tub width (in.)	30
Water capacity (gallons)	42		

SHIPPING OPTIONS

Most orders process within 1 business days.

Please allow 5-10 business days for **Basic Home Shipping (No Appointment)** in the Continental U.S., plus order processing time. Basic Home Shipping includes delivery to your doorstep or first dry area outside with no signature or appointment required. Delivery services for this item may be upgraded for an additional fee.

Other Delivery Options:

Threshold Home Shipping (By Appointment): Delivery in the Continental U.S. within 5-10 business days, plus order processing time. Threshold Home Shipping includes delivery across your first doorway or threshold (i.e. into garage, backyard, or first room of the home). The carrier will contact you to make a delivery appointment with a 4 hour window once the items have arrived at the local hub in your area. Delivery appointments are required.

White Glove Home Shipping (By Appointment): Delivery in the Continental U.S. within 5-10 business days, plus order processing time. White Glove Home Shipping includes delivery to the room of your choice, unpacking and debris removal. Assembly is not included. The carrier will contact you to make a delivery appointment with a 4 hour window once the items have arrived at the local hub in your area. Delivery appointments are required.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

This item is also available for pick up in your local store (FREE) within 4-7 business days, plus order processing time.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Commercial Electric 2-Light Brushed Nickel Flushmount (2-Pack)

Model # EFG8012A-BN Internet # 202064742 Store SKU # 701704

★★★★☆ (47) | Write a Review

$22.97 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

The Commercial Electric twin pack flushmount is a great look at a great value. From the professional to the do-it-yourselfer, the twin pack flushmount is an exceptional choice. Each flushmount is finished in Brushed Nickel with frosted white glass. Each flushmount uses two 60 watt medium-base light bulbs. From kitchen to bath or any room in between, the CE Brushed Nickel twin pack will not only enhance but will save cost to your home as well.

- CE brushed nickel twin pack 2-light flush-mount
- Durable plated brushed nickel finish
- Frosted white glass provides great illumination
- Great look at a great value
- Each flushmount uses two light bulbs (60 watt maximum each) (not included)
- Assembled dimensions - 5.625 in. H x 13 in. W
- Installation instructions included for easy installation
- UL certified

SPECIFICATIONS

Adjustable Lamp Head	No	Assembled Depth (in.)	13 in
Assembled Height (in.)	5.625 in	Assembled Width (in.)	13 in
Certifications and Listings	1-UL Listed	ENERGY STAR Certified	No
Fixture Color/Finish Family	Nickel	Hardwired or Plug-In	Hardwired
Light Bulb Base Code	Medium	Light Source	Incandescent
Manufacturer Warranty	5 years limited	Mounting type	Flush Mount
Number of Bulbs Required	2	Product Weight (lb.)	2.62 lb
Recommended bulb type	A	Returnable	90-Day
Uplight/Downlight	Downlight	Wattage (watts)	120

SHIPPING OPTIONS

Most orders process within 1 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Daltile Bath Accessories White 8 in. x 8 in. Ceramic Wall Mounted Corner Shelf

Model # 0100BA7801P Internet # 100674432
Store SO SKU # 200068

★★★★☆ (8) | Write a Review | Ask & Answer (5)

$23.21 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): GU,PR,VI

PRODUCT OVERVIEW

Bathroom Accessories complete any shower, tub surround or bath installation. This collection provides the finishing touches to manage all of your cosmetic and hygiene bath products. Stylish corner shelves open under utilized space in your shower. Coordinating soap dishes are an attractive way to maintain key essentials in your shower. This collection is offered in traditional White or Black as well as Resin, to coordinate with rustic, modern and even contemporary styles.

- 1 square foot per piece, pieces sold individually, piece weight is 3.96 lb
- Grade 1, first-quality ceramic tile for wall and countertop use
- 2-3/8 in. length x 8-3/4 in. width x 8-3/4 in. thick
- Glazed smooth finish with a low sheen and uniform appearance in tone
- P.E.I. Rating 0 is suitable for walls and residential use only
- Non-Vitreous flooring has water absorption of more than 7% for indoor use
- C.O.F. less than .50 is marginally skid resistant for indoor use and is recommended for standard residential applications
- Not frost resistant
- Residential and commercial use
- Learn how to get a Lifetime Warranty by using Custom Building Products from The Home Depot. Visit www.homedepot.com/CBP
- Don't forget your coordinating trim pieces, grout, backerboard, thinset and installation tools
- All online orders for this item ship via parcel ground and may arrive in multiple boxes

SPECIFICATIONS

Assembled Depth (in.)	2.62 in	Assembled Height (in.)	8.75 in
Assembled Width (in.)	8.75 in	Break Strength (lb.)	150 lb
Chemical Resistant	Yes	Color Family	Whites
Color/Finish	White	Commercial / Residential	Commercial / Residential
Glazed	Yes	Indoor/Outdoor	Indoor
Manufacturer Warranty	1 Year	Mosaic	No
Mosaic Sub Unit Length (in.)	Not a Mosaic	Mosaic Sub Unit Width (in.)	Not a Mosaic
Number of Tiles per Case	1	Product Length (in.)	8.75
Product Thickness (in.)	8.75 in	Product Width (in.)	2.625

Rectified Edge	No	Returnable	90-Day
Square Feet per Piece	1	Tile Material	Ceramic
Tile Type	Ceramic		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Daltile Semi-Gloss 2 in. x 6 in. Black Ceramic Bullnose Wall Tile

Model # K111S42691P2 Internet # 100672658
Store SO SKU # 546336

★★★★☆ (5) | Write a Review | Ask & Answer (2)

$0.98 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

This Daltile Semi Gloss 2 in. x 6 in. Black Ceramic Bullnose Wall Tile is non-vitreous for use indoors in residential wall applications like backsplashes and can also be used for countertops. With a smooth, glossy finish and rounded edge design, this tile is sure to add style to any installation, and with a variety of matching trim and accents available, you can create a customized design layout with wall tile of your choice to suit your decor and installation needs.

- 0.083 square feet per piece, each piece sold individually. Each piece weighs 0.25 lb
- Grade 1, first-quality ceramic tile for wall, backsplash and countertop use
- 2 in. length x 6 in. width x 5/16 in. thick
- Glazed smooth finish with a low sheen and a uniform appearance in tone
- P.E.I. Rating 0 is suitable for walls and residential use only
- Non-Vitreous flooring has water absorption of more than 7% for indoor use
- C.O.F. less than .50 is marginally skid resistant for indoor use and is recommended for standard residential applications
- Not frost resistant
- Residential and commercial use
- Learn how to get a Lifetime Warranty by using Custom Building Products from The Home Depot. Visit www.homedepot.com/CBP
- Don't forget your coordinating trim pieces, grout, backerboard, thinset and installation tools
- All online orders for this item ship via parcel ground and may arrive in multiple boxes
- Note: Product may vary by store.

SPECIFICATIONS

Assembled Depth (in.)	0.313 in	Assembled Height (in.)	2 in
Assembled Width (in.)	6 in	Break Strength (lb.)	100 lb
Chemical Resistant	Yes	Color Family	Blacks
Color/Finish	black	Commercial / Residential	Commercial / Residential
Glazed	Yes	Indoor/Outdoor	Indoor
Manufacturer Warranty	1 Year	Mosaic	No
Mosaic Sub Unit Length (in.)	N/A	Mosaic Sub Unit Width (in.)	N/A
Number of Tiles per Case	1	Product Length (in.)	2

Product Thickness (in.)	0.313 in	Product Width (in.)	6
Rectified Edge	No	Returnable	90-Day
Square Feet per Piece	0.083	Tile Material	Ceramic
Tile Type	Ceramic		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Delta Porter 8 in. Widespread 2-Handle High Arc Bathroom Faucet in Brushed Nickel

Model # 35984LF-BN Internet # 202520132 Store SKU # 301116

★★★★☆ (24) | Write a Review | Ask & Answer (11)

$119.00 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): GU,VI

PRODUCT OVERVIEW

Provide your bathroom with style and functionality with the Delta Porter 8 in. 2-Handle Mid Arc Bathroom Faucet in Brushed Nickel. This dependable bathroom faucet features a 3-1/2 in. mid-arc spout with a flow rate of up to 1.5 GPM. This environmentally-friendly bathroom faucet meets ADA requirements and is WaterSense certified to help reduce water use. The faucet also features a brushed nickel finish for style.

- 2-handle lever design for ease of use
- 3-1/2 in. mid-arc spout
- Flow rate of up to 1.5 GPM
- Brushed nickel finish for style
- WaterSense certified to help reduce water use
- ADA-compliant lever handle
- 8 in. widespread on-center measurement
- 1/2 in. connection size
- Includes drain for convenience
- 3 installation holes required

SPECIFICATIONS

Assembled Depth (in.)	5.16 in	Assembled Height (in.)	6 in
Assembled Width (in.)	16 in	Bath Faucet Type	8" Widespread
Certifications and Listings	ADA Compliant,CSA Certified,IAPMO Certified	Color Family	Nickel
Color/Finish	Brushed Nickel	Connection size (in.)	1/2 In.
Faucet type	Bath Faucet	Features	No Additional Features
Flow rate (gallons per minute)	1.5	Handle type	Lever
Manufacturer Warranty	Lifetime limited	Number of Faucet Handles	Double Handle
Number of Faucet Holes Required	3	On-center measurement	8 in. widespread
Returnable	90-Day	Spout Reach (in.)	5.5 in
Spout Type	High Arc	Spout Height (in.)	6.5

Spout Type	High Arc	Spout Height (in.)	3.5

SHIPPING OPTIONS

Most orders process within 1 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Design House Springdale Satin Nickel Passage Lever

Model # 700484 Internet # 202675767

★★★★★ (1) | Write a Review

$21.86 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

The Springdale lever features an ergonomic wave shape that fits with many decor styles. This is an updated classic with its satin nickel finish that adds to the traditional look. This lever is designed for hallway doors, laundry rooms and closet doors that latch but don't lock.

- Fits doors 1-3/8 in. up to 1-3/4 in. thick
- Ideal for interior doors that latch but don't lock
- Reversible lever for right/left hand doors
- Simple installation with basic tools, all mounting hardware included
- Grade 3 ANSI/BHMA certified
- ADA compliant
- Fire rated for up to 3 hours
- 2-way latch that is adjustable from 2.375 in. up to a 2.75 in. backset

SPECIFICATIONS

Application Type	Passage	Assembled Depth (in.)	5.94 in
Assembled Height (in.)	2.63 in	Assembled Width (in.)	6.88 in
Certifications and Listings	ADA Compliant	Commercial / Residential	Residential
Cross bore diameter (in.)	2.09	Door Handing	Universal/Reversible
Door Locks & Knobs Product Type	Levers	Finish	satin nickel
Finish Family	Nickel	Interior/Exterior	Interior
Lever grip length (in.)	5	Lever housing height (in.)	2.625
Lever housing width (in.)	2.625	Lever material	steel, brass & zinc alloy
Lever style	Wave	Lock Type	Unkeyed
Manufacturer Warranty	5yrs on finish / limited lifetime on mechanics	Material	Steel
Maximum door thickness (in.)	1.75	Minimum door thickness (in.)	1.375

Product Weight (lb.)	1.43	Projection (in.)	1.9375
Returnable	90-Day	Security/ANSI Grade	ANSI Grade III (Good)
Strike	Round corner	Strike height (in.)	2.25
Strike width (in.)	1	Throw length (in.)	.5

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Design House Springdale Satin Nickel Privacy Lever

Model # 700492 Internet # 202675792

★★★★★ (5) | Write a Review

$23.46 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

Springdale lever features an ergonomic wave shape that fits with many decor styles. This is a great updated classic with its satin nickel finish that adds to the traditional look. Lever locks with a turn button on the inside.

- Ideal for interior doors where security is required
- Reversible lever for right/left hand doors and features a turn button lock mechanism
- Simple installation with basic tools, all mounting hardware included
- Grade 3 ANSI/BHMA certified
- Fire rated for up to 3 hours
- 2-way latch that is adjustable from 2.375 in. up to a 2.75 in. backset
- Fits doors 1-3/8 in. up to 1-3/4 in. thick

SPECIFICATIONS

Application Type	Privacy	Assembled Depth (in.)	5.94 in
Assembled Height (in.)	2.63 in	Assembled Width (in.)	6.88 in
Certifications and Listings	No Certifications or Listings	Commercial / Residential	Residential
Cross bore diameter (in.)	2.09	Door Handing	Universal/Reversible
Door Locks & Knobs Product Type	Levers	Finish	satin nickel
Finish Family	Nickel	Interior/Exterior	Interior
Lever grip length (in.)	5	Lever housing height (in.)	2.94
Lever housing width (in.)	2.63	Lever material	steel, brass and zinc alloy
Lever style	Wave	Lock Type	Unkeyed
Manufacturer Warranty	5yrs on finish / limited lifetime on mechanics	Material	Steel
Maximum door thickness (in.)	1.75	Minimum door thickness (in.)	1.375

Product Weight (lb.)	1.49	Projection (in.)	1.9375
Returnable	90-Day	Security/ANSI Grade	ANSI Grade III (Good)
Strike	Round corner	Strike height (in.)	2.25
Strike width (in.)	1	Throw length (in.)	.5

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Eglo Troy 3 - 1-Light Hanging Matte Nickel Mini-Pendant

Model # 20129A Internet # 202190244 Store SKU # 834802

★★★★☆ (5) | Write a Review

$39.97 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): GU,PR,VI

PRODUCT OVERVIEW

Simple and contemporary, the Eglo Troy 3 1-Light 59 in. Hanging Matte Nickel Mini-Pendant features an white glass shade and a clear hanging wire. This UL-listed fixture Uses one A19 100-watt maximum bulb (not included). It can be used in damp locations.

- White glass shade
- Matte nickel finish
- Clear hanging wire for interior use
- Use one A19 100 watt maximum bulb (not included)
- Can be used in damp locations
- UL listed
- Can be adjusted to a desired hanging length of up to 59 in.
- Replacement glass part #: GL-907

SPECIFICATIONS

Adjustable Lamp Head	No	Adjustable hanging length	Yes
Assembled Depth (in.)	4.75 in	Assembled Height (in.)	59 in
Assembled Width (in.)	4.75 in	Certifications and Listings	1-UL Listed,ETL Listed
ENERGY STAR Certified	No	Fixture Color/Finish Family	Nickel
Fixture depth (in.)	4.75	Fixture height (in.)	59
Fixture width (in.)	4.75	Hardwired or Plug-In	Hardwired
Light Bulb Base Code	Medium	Light Source	Incandescent
Manufacturer Warranty	No warranty available	Maximum Hanging Length (in.)	59
Number of Bulbs Required	1	Pendant Type	Mini Pendant
Product Weight (lb.)	2 lb	Recommended bulb type	A19
Returnable	90-Day	Wattage (watts)	100 W

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

Everbilt Satin Nickel Solid Doorstop

Model # 15576 Internet # 202033967 Store SKU # 489247

(6) | Write a Review

$2.98 / each

36 in Stock at Madison Heights #2731
Aisle 57 Bay 006
(change pick up store)

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

The Everbilt Solid Doorstop helps prevent damage to walls when opening a door. The rubber bumper tip protects the door from getting damaged. Easy to install.

California residents: seeProposition 65 information

- Made of steel
- Satin nickel finish
- No fasteners required
- Attaches to baseboard

SPECIFICATIONS

Assembled Depth (in.)	3 in	Assembled Height (in.)	1 in
Assembled Width (in.)	1 in	Builders Hardware Product Type	Door Stop
Catch included	No	Door stop type	Solid
Fasteners included	No	Finish	Satin Nickel
Finish Family	Nickel	Manufacturer Warranty	None
Material	Other	Package Quantity	1
Product Height (in.)	1	Product Thickness (mm)	3
Product Width (in.)	1 in	Projection	3 in
Returnable	90-Day		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

Masonite Smooth Flush Hardwood Hollow-Core Unfinished Composite Interior Bi-fold Closet Door

Model # 28332 Store SKU # 261113 Store SO SKU # 874345

★★★☆☆ (1) | Write a Review

$34.00 / each

10 in Stock at Madison Heights #2731
Aisle BW Bay 034
(change pick up store)

PRODUCT SOLD : In Store Only
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

For a sleek, clean look, the Masonite Smooth Flush Hardwood Hollow Core Unfinished Composite Interior Bi-fold Closet Door offers an affordable option perfect for home and office. As part of Masonite's commitment to environmental excellence, door facings are made with by-product wood chips and constructed using premium wood veneers. To customize to your decor, doors are ready to paint, varnish or stain.

California residents: seeProposition 65 information↗

- Constructed using premium wood veneers to reveal the beauty and warmth of natural wood
- Clean, contemporary flush doors with the beauty of natural wood grain
- Ready to paint, stain or varnish to coordinate with your decor
- Bi-fold door design conserves space where a swinging door is impractical
- Track and hardware included for easy installation
- Replacement size fits standard finished openings
- Note: Product may vary by store

SPECIFICATIONS

Assembled Depth (in.)	1.375 in	Assembled Height (in.)	80.75 in
Assembled Width (in.)	24 in	Color/Finish	Unfinished
Commercial	No	Door Handing	Universal/Reversible
Door Style	Flush/Lauan	Door Thickness (in.)	1.38 in
Door Type	Bi-Fold	Door Width (in.)	24
Finish Type	Unfinished	Fire rating	None
Hurricane rated	No	Lockset Bore	No
Manufacturer Warranty	1 Year Limited Warranty	Material	Composite
Mirror	No	Number of Panels	2.0
Paintable/Stainable	Yes	Product Weight (lb.)	22
Returnable	90-Day		

SHIPPING OPTIONS

Store Exclusive. This item is available for purchase in select stores only.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Foremost Gazette 48 in. Vanity Cabinet Only in White

Model # GAWA4822D Internet # 203284681

(6) | Write a Review | Ask & Answer (3)

$586.60 / each
Was ~~$838.00~~

Save $251.40 (30%)

Up to 40% off select vanities
Price Valid : 03/13/2014 - 03/24/2014

Select a Store to confirm item pick up options

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

This 48 in. console-style vanity from the Gazette Collection has an alluring blend of traditional and modern influences. Featuring a unique lower storage shelf, four drawers and an inner storage space behind two doors. With the vanity's superior, clean-line design, this piece will look amazing in any bathroom, especially paired with the Gazette Collection accent pieces.

- 48 in. W, 21-3/4 in. D, 34 in. H provides ample storage space
- Built to accommodate a vanity top with a single center-set sink
- Brushed-nickel cabinet hardware
- Constructed with solid wood, natural wood veneers and clean, low-emission engineered wood
- Decorative furniture-style vanity gives your bathroom a custom look to complement your decor
- Lower open shelf and 2 inset doors with slow-closing bumpers
- Bright white finish
- Adjustable leg levelers for uneven floors
- Fully-assembled for fast and easy installation
- Dovetail drawer construction provides stronger joints
- Vanity top and faucet not included

SPECIFICATIONS

Adjustable hinges	No	Assembled Depth (in.)	21.7 in
Assembled Height (in.)	34 in	Assembled Width (in.)	48 in
Assembled weight (lbs)	139	Assembly Required	No
Color Family	White	Fixture type	Vanity cabinet
Hardware Color/Finish Family	Nickel	Installation Type	Free Standing
Manufacturer Warranty	1 Year Limited Warranty	Material	Poplar
Material	Medium Density Fiberboard (MDF)	Number of Doors	2
Number of concealed shelves	0	Product Width (in.)	48
			Adjustable Hinges,Adjustable Levelers,Concealed Hinges,Dovetail

Returnable	90-Day	Vanity Features	Drawer Construction,Soft Close Drawer Hinges,Toe Kick
Vanity Height (in.)	34	Vanity Included Components	Cabinet Hardware Included
Vanity Type	Single Basin	Vanity Width (in.)	48
Wall mounted	No	Width (in.)	48

SHIPPING OPTIONS

Most orders process within 1 business days.

Please allow 5-10 business days for **Basic Home Shipping (No Appointment)** in the Continental U.S., plus order processing time. Basic Home Shipping includes delivery to your doorstep or first dry area outside with no signature or appointment required. Delivery services for this item may be upgraded for an additional fee.

Other Delivery Options:

Threshold Home Shipping (By Appointment): Delivery in the Continental U.S. within 5-10 business days, plus order processing time. Threshold Home Shipping includes delivery across your first doorway or threshold (i.e. into garage, backyard, or first room of the home). The carrier will contact you to make a delivery appointment with a 4 hour window once the items have arrived at the local hub in your area. Delivery appointments are required.

White Glove Home Shipping (By Appointment): Delivery in the Continental U.S. within 5-10 business days, plus order processing time. White Glove Home Shipping includes delivery to the room of your choice, unpacking and debris removal. Assembly is not included. The carrier will contact you to make a delivery appointment with a 4 hour window once the items have arrived at the local hub in your area. Delivery appointments are required.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

Foster Mantels Richmond 72 in. Unfinished Stain Grade Full Surround Fireplace Mantel

Model # F10-6 Internet # 100041329 Store SO SKU # 197210

Write the First Review | Ask & Answer (2)

$484.00 / each

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): GU,PR,VI

PRODUCT OVERVIEW

Add a sense of timeless beauty to your fireplace and home décor with the Foster Mantels Richmond Full Surround Fireplace Mantel. The Richmond is our basic design, which is simple yet adds a class finished touch. The unfinished wood mantel is made of 100% red oak that's beautiful when stained to highlight its rich wood tones. The Full Surround Fireplace Mantel is designed for easy installation, using the

- Made of solid 100% red oak
- Quality Craftsmanship
- Cost Effective
- 72 in. wide x 7-3/4 in. depth – Overall Top Dimension
- Unfinished, easy to finish, ready to stain
- Easy to install
- Designed for ease of installation, includes Mounting Boards and Complete Instructions.
- Hardware not included
- Hand Made in USA
- See "Specification" tab for more details
- Click here for custom size and more styles for a price quote that is good at any Home Depot store
- Click here to create a quote for your own custom mantel

SPECIFICATIONS

Assembled Depth (in.)	7.75 in	Assembled Height (in.)	53.75 in
Assembled Width (in.)	72 in	Cap Depth	7.75 in
Cap Height	3.75 in	Color Family	Oak
Color/Finish	Wood	Corner unit	No
Filling panels included	No	Finish	Unfinished
Hearth included	No	Inside height (in.)	45.0
Inside width (in.)	53.5	Leg depth (in.)	4.125
Manufacturer Warranty	N/A	Material	Wood
Media Center	No	Outside Height	53.75 in
Outside Width	72 in	Overhang	3.75
Product Weight (lb.)	72	Returnable	90-Day
Skirt Height	5		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

This item is also available for pick up in your local store (FREE) within 4-7 business days, plus order processing time.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Franklin Brass 24 in. Tuscan Towel Bar in White

Model # D8024W Internet # 100000326 Store SO SKU # 295188

★★★★☆ (13) | Write a Review | Ask & Answer (6)

$18.50 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

Hang your bathroom towel with help from the Decor Bathware 24 in. Tuscan Ceramic Towel Bar in White. The towel bar features a white finish for a beautiful accent to almost any bathroom.

- Wall-mount design
- White finish
- Traditional style
- Ceramic construction
- Holds up to 15 lb.
- Includes hardware

SPECIFICATIONS

Assembled Depth (in.)	28.20 in	Assembled Height (in.)	2.3 in
Assembled Width (in.)	4 in	Bath Accessory Type	Single Towel Bar
Color Family	White	Color/Finish	White
Color/Finish Family	White	Material	Ceramic
Material	Ceramic	Mount Type	Wall
Product Height (in.)	2.3	Product Length (in.)	24 in
Returnable	90-Day	Shelf Included	No
Weight Capacity (lb.)	15		

SHIPPING OPTIONS

Most orders process within 1 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.

Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Franklin Brass Futura Zinc Recessed Toilet Paper Holder in White

Model # D2497W Internet # 100347771

★★★★☆ (11) | Write a Review | Ask & Answer (5)

$19.98 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

The Franklin Brass Futura Zinc Recessed Toilet Paper Holder in White features a set-screw mounting design and a white finish for a traditional style. This holder offers easy installation (instructions and template included).

- Set-screw mounting design
- White finish
- Die-cast zinc construction
- Designed to hold 1 roll of toilet paper
- Easy installation (instructions and template included)

SPECIFICATIONS

Assembled Depth (in.)	3.64 in	Assembled Height (in.)	6.4 in
Assembled Width (in.)	6.4 in	Bath Accessory Type	Toilet Tissue Holder
Color Family	White	Color/Finish	White
Material	Zinc	Material	Zinc
Mount Type	Recessed	Product Height (in.)	3.8
Returnable	90-Day		

SHIPPING OPTIONS

Most orders process within 1 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

Liberty 1-1/4 in. Hollow Cabinet Hardware Knob

Model # 123281.0 Internet # 202023241

★★★★★ (5) | Write a Review | Ask & Answer (1)

$1.37 / each

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

The clean lines of this knob fit several design aesthetics including traditional and casual home decor and would be a beautiful accent to any cabinetry or furniture. Multiple finishes available. Installs easily with included hardware and is a noticeable change for any cabinetry.

- 1 1/4 in. diameter
- Rear-mount installation
- Casual style knob
- Satin nickel finish

SPECIFICATIONS

Assembled Depth (in.)	1.15 in	Assembled Height (in.)	1.18 in
Assembled Width (in.)	1.18 in	Builders Hardware Product Type	Cabinet Knob
Finish	Satin Nickel	Finish Family	Nickel
Knob Shape	Round	Knob depth (in.)	1.15
Knob diameter (in.)	1.25	Knob height (in.)	1.18
Knob width (in.)	1.18	Manufacturer Warranty	Limited Lifetime Warranty
Material	Metal	Package Quantity	1
Returnable	90-Day	Shape	T
Style	Traditional		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

This item is also available for pick up in your local store (FREE) within 4-7 business days, plus order processing time.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

American Originals Natural Red Oak 3/4 in. Thick x 2-1/4 in. Wide Solid Hardwood Flooring (20 sq. ft. / case)

Model # SHD2210 Internet # 204468560 Store SKU # 1000019492
Store SO SKU # 1000024616

$4.59 / s
$91.80 / c

Select a S

PRODUC
Item cann

PRODUCT OVERVIEW

With the Bruce Natural Red Oak 3/4 in. x 2-1/4 in. Solid Hardwood Flooring, yo
strips have micro edges and square ends for a classic, linear look. It has the Bruce DuraShield finish for durability and beauty.

- Real Domestic Oak Hardwood
- 3/4 in. Thickness x 2-1/4 in. Width x Varying Length Planks
- 20 sq. ft. per case. Case weight: 60 lb.
- Construction: Solid Hardwood Flooring
- Prefinished, Bruce, Light Color, High Gloss, Traditional finish
- Planks have micro edges and square ends
- Janka wood hardness rating/resistance to denting: 1290
- Appropriate Grade for Installation: Above or On Grade
- Installation: Nail down
- Residential
- Lifetime residential finish warranty

SPECIFICATIONS

Assembled Depth (in.)	84 in	Assembled Height (in.)	.75 in
Assembled Width (in.)	2.25 in	Board Form	Strip
Can Be Used Below Grade	No	Color	Natural
Color Family	Wood Grain	Commercial / Residential	Residential
Indoor/Outdoor	Indoor	Manufacturer Warranty	Lifetime Residential Finish Warranty
Plank Width (in.)	3.25	Prefinished	Yes
Product Length (in.)	84	Product Thickness (in.)	.75 in
Product Weight (lb.)	4	Product Width (in.)	2.25
Returnable	90-Day	Square Feet per Box (sq.ft.)	20
Thickness	.75 in		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)



Merola Tile Metro Hex Matte White with Black Dot 10-1/4 in.x11-3/4 in. x 5mm Porcelain Mosaic Floor and Wall Tile (8.54 sq.ft./case)

Model # FDXMHMWD Internet # 202648700
Store SO SKU # 550659

★★★★½ (19) | Write a Review | Ask & Answer (3)

$5.95 / sq. ft.
$50.81 / case (covers 8.54 sq. ft.)

Select a Store to confirm item pick up options

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

The Merola Tile Metro Hex Matte White and Black 10-1/4 in. x 11-3/4 in. Porcelain Mosaic Floor and Wall Tile features a smooth, satin glazed finish to help add style to your decor. This beautiful tile has water absorption of less than 0.5% and a matte white color with a black dot accent to coordinate with many interior decors. Designed for both residential and some commercial floors, this porcelain tile is frost resistant for indoor or outdoor applications to suit your needs.

- Grade 1, porcelain tile for floor, wall and countertop use
- 10-1/4 in. long x 11-3/4 in. wide x 3/16 in. thick
- Glazed smooth finish with a low sheen and uniform appearance in tone
- 8.54 sq. ft., 10 pieces per case. Case weight is 18 lb.
- P.E.I. Rating IV has high resistance to abrasion and is suitable for heavy-duty residential and commercial kitchens, hotels, exhibition and sales rooms with some dirt conditions
- Impervious flooring has a water absorption of less than 0.5% for indoor and outdoor use and is frost resistant
- C.O.F. greater than .60 to .79 is required for commercial applications to meet or exceed ADA (Americans with Disabilities Act) Guidelines. Skid resistant. Indoor and Outdoor use
- Frost resistant for indoor and outdoor use; use a latex-modified thinset for acceptable bond strength
- Commercial and Residential use
- CLICK HERE to learn how to get a Lifetime Warranty by using Custom Building Products from The Home Depot.
- Don't forget your grout, backerboard, latex modified thinset and installation tools
- All online orders for this item ship via parcel ground and may arrive in multiple boxes

SPECIFICATIONS

Assembled Depth (in.)	0.188 in	Assembled Height (in.)	10.25 in
Assembled Width (in.)	117.5 in	Break Strength (lb.)	300 lb
Chemical Resistant	Yes	Color Family	Whites
Color/Finish	White,Black/Smooth	Commercial / Residential	Commercial / Residential
Glazed	Yes	Indoor/Outdoor	Indoor/Outdoor
Manufacturer Warranty	None	Mosaic	Yes
Mosaic Sub Unit Length (in.)	.875 in	Mosaic Sub Unit Width (in.)	.875 in
Number of Tiles per Case	10	Product Length (in.)	11.75

Product Thickness (in.)	0.187 in	Product Width (in.)	10.25
Rectified Edge	No	Returnable	90-Day
Square Feet per Piece	.84	Tile Material	Porcelain
Tile Type	Mosaic	Tile Use	Accent and Trim,Backsplash and Wall,Floor

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

JELD-WEN Craftsman Smooth 3-Panel Solid Core Primed Molded Prehung Interior Door

Model # THDJW137100055 Internet # 203618122

★★★½☆ (8) | Write a Review

$96.94 / each
Was ~~$145.96~~

Save $49.02 (34%)

Hurry and Save!
Price Valid : 03/20/2014 - 04/02/2014

Select a Store to confirm item pick up options

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): GU,PR,VI

PRODUCT OVERVIEW

Jeld-Wen Molded Interior doors now include a true Craftsman style door with flat panels and Craftsman sticking. These doors reflect the clean, unadorned, balanced design created over a century ago. They are the perfect choice for Bungalow or Craftsman style homes yet their clean, geometric lines also make them increasingly popular with contemporary style homes as well. Solid core construction reduces sound transmission by up to 50 percent (compared to a hollow flush door). It also helps prevent the dents and dings of daily life. One way Jeld-Wen supports sustainable construction is by using recycled materials in the production of our Molded Interior doors. In fact, these molded door skins are made using 80% recycled content.



California residents: seeProposition 65 information

- Pre-hung door on flat jamb is ready for installation
- Left-hand is when the knob is on the left and the door opens toward you
- Smooth surface is primed and ready to paint
- Doors must be finished on all 6 sides
- Matching bi-folds also available
- Trimmable allowance of 1/2 in. from door height and width (1/4 in. from each side)
- 5-Year limited warranty

SPECIFICATIONS

Assembled Depth (in.)	4.563 in	Assembled Height (in.)	81.063 in
Assembled Width (in.)	31.563 in	Bore offset	2.375
Color/Finish	Primed White	Commercial	No

Door Handing	Left-Handed	Door Jamb Type	Flat Jamb
Door Material	Composite	Door Size	30 in. X 80 in.
Door Style	3 Panel	Door Thickness (in.)	1.375 in
Door Type	Interior Prehung	Door Width (in.)	30
Finish Type	Primed	Fire rating	None
Hinge Finish	Nickel	Hurricane rated	No
Lockset Bore	Yes	Manufacturer Warranty	5-Year Limited Warranty
Material	Composite	Number of Panels	3
Paintable/Stainable	Yes	Product Weight (lb.)	70
Returnable	90-Day	Rough Opening Height	82.438 in

SHIPPING OPTIONS

Most orders process within 15 business days.

Please allow 5-10 business days for **Basic Home Shipping (No Appointment)** in the Continental U.S., plus order processing time. Basic Home Shipping includes delivery to your doorstep or first dry area outside with no signature or appointment required. Delivery services for this item may be upgraded for an additional fee.

Other Delivery Options:

Threshold Home Shipping (By Appointment): Delivery in the Continental U.S. within 5-10 business days, plus order processing time. Threshold Home Shipping includes delivery across your first doorway or threshold (i.e. into garage, backyard, or first room of the home). The carrier will contact you to make a delivery appointment with a 4 hour window once the items have arrived at the local hub in your area. Delivery appointments are required.

White Glove Home Shipping (By Appointment): Delivery in the Continental U.S. within 5-10 business days, plus order processing time. White Glove Home Shipping includes delivery to the room of your choice, unpacking and debris removal. Assembly is not included. The carrier will contact you to make a delivery appointment with a 4 hour window once the items have arrived at the local hub in your area. Delivery appointments are required.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

Kidde Hardwire Interconnectable 120 Volt Smoke Alarm With Battery Backup

Model # 21009444 Internet # 100246185 Store SKU # 445228

★★★★½ (41) | Write a Review

$15.97 / each

18 in Stock at Madison Heights #2731
Aisle 42 Bay 001
(change pick up store)

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): GU,PR,VI

PRODUCT OVERVIEW

The Kidde i12060 is an AC/DC powered, ionization smoke alarm that operates on a 120V power source with 9V battery backup. This alarm uses ionization sensing technology. Ionization sensing alarms may detect invisible fire particles (associated with flaming fires) sooner than photoelectric alarms. Photoelectric sensing alarms may detect visible particles (associated with smoldering fires) sooner than ionization alarms. The front load battery operation speeds installation and reduces battery replacement time and effort by eliminating the need to remove the alarm from the ceiling. Alarm is packaged with two universal adapters that allows easy installation when replacing other branded smoke alarm.

- Front door battery provides easy access which reduces the installation time and battery replacement time
- Smart interconnect feature
- Battery pull tab prevents draining battery until permanent AC power is connected - reduces callback's for battery replacement
- Dust cover provided protects sensors during construction
- Ionization sensor with nominal sensitivity of 0.50 to 1.06% ft. and temperature operating range is between 40 Fahrenheit and 100 Fahrenheit and unit incudes a piezoelectric horn that is rated at 85 decibels at 10 ft.
- Note: Product may vary by store
- Piezoelectric horn is rated at 85 decibels at 10 feet.
- Note: Product may vary by store.

SPECIFICATIONS

Alarm Sensor Type	Ionization	Alarm Type	Smoke
Alarm/Detector Features	Battery Back-Up,Hush Feature,Interconnected	Assembled Depth (in.)	1.75 in
Assembled Height (in.)	5 in	Assembled Width (in.)	5 in
Battery Back-Up	Yes	Battery Power Type	Carbon Zinc
Battery Size	Duplex	Certifications and Listings	2-UL Recognized
Commercial / Residential	Commercial / Residential	Connector/Contact Type	2-Wire
Digital Display	No	Electrical Product Type	Smoke Detector
Included	Battery (-ies)	Returnable	90-Day
Voltage (volts)	120		

SHIPPING OPTIONS

Most orders process within 1 business days.

Please allow an additional 5-9 business days for **Cost Saver Delivery** in the U.S.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Standard Shipping: Delivery in the US 3-5 business days in addition to order processing time, which varies by product. Items deliver by small parcel service.

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

Lenape 4-1/4 in. x 6-1/4 in. White Ceramic Soap Dish and Cloth Holder

Model # 178701 Internet # 100049196

★★★★★ (9) | Write a Review

$9.97 / each

Item Not Sold at Madison Heights #2731

Check nearby stores to confirm availability and pick up options.

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

Experience the beautiful rich luster of genuine white porcelain. High firing to 2200 degrees creates a fully vitreous body that will never rust, fade, tarnish or corrode. Simple to install with any ceramic tile project this soap dish with cloth holder will enhance any bathroom remodel, large or small. Our porcelain bath accessories are easy to clean with a damp cloth.

- Genuine Porcelain
- Easy to Clean
- Lifetime warranty
- Recess Mounted. Easy to install with ceramic tile installation

SPECIFICATIONS

Assembled Depth (in.)	5 in	Assembled Height (in.)	3 in
Assembled Width (in.)	6.75 in	Bath Accessory Type	Soap Dish
Color Family	White	Color/Finish	White Glaze
Color/Finish Family	White	Material	Ceramic
Mount Type	Wall	Product Height (in.)	3.25
Product Length (in.)	5 in	Product Width (in.)	7
Returnable	90-Day		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

Leviton 15 Amp 1 Gang Recessed Duplex Power Outlet - White

Model # R52-00689-00W Store SKU # 768565
Store SO SKU # 162677

★★★★½ (2) | Write a Review

$8.48 / each

15 in Stock at Madison Heights #2731
Aisle 41 Bay 005
(change pick up store)

PRODUCT SOLD : In Store Only
Item cannot be shipped to the following state(s): AK,HI

PRODUCT OVERVIEW

For an almost invisible installation behind wall-mounted TVs, entertainment centers,monitors and more, connect with Leviton Recessed Devices. The Recessed EntertainmentBox (REB) centralizes AC power and low voltage connection points for audio, video, data and phones. They are perfect for homes, apartments, co-ops, condominiums and offices.

- Manages home theater electronics in a single location
- Ideal for new construction (stud-mounted) and retrofit (wall-mounted) applications
- Low-profile frame provides neat, clean recessed installation
- Paintable white ABS molded plastic for structural integrity
- Low-profile frame provides neat and clean recessed installation
- CSA listed

SPECIFICATIONS

Assembled Depth (in.)	.95 in	Assembled Height (in.)	4.71 in
Assembled Width (in.)	2.95 in	Certifications and Listings	1-UL Listed,CSA Listed
Color Family	White	Color/Finish	White
Electrical Product Type	Outlet	Grounding	Self-Grounding
Hospital Grade	No	Indoor/Outdoor	Indoor
Manufacturer Warranty	2-Year Limited	Material	Plastic
Maximum Amperage (amps)	15 A	Number of Outlets	2
Outlet Location	Wall	Outlet Type	Duplex
Package Quantity	1	Pop-Out	No
Product Depth (in.)	0.95	Product Height (in.)	4.71
Product Series	Leviton	Product Weight (lb.)	0.14
Product Width (in.)	2.95	Returnable	90-Day
Rotating	No	Surface Mount	No
Tamper Resistant	No	USB Port	No
Voltage (volts)	125	Wall Plate Included	No
Weather Resistant	No		

SHIPPING OPTIONS

Store Exclusive. This item is available for purchase in select stores only.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)



Leviton 15 Amp Combination Shallow Duplex Guidelight and GFCI Receptacle - White

Model # R12-X7592-00W Internet # 203908621
Store SKU # 163459

★★★★★ (5) | Write a Review

$17.86 / each

7 in Stock at Madison Heights #2731
Aisle 41 Bay 005
(change pick up store)

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

SmartlockPro GFCI protection teams with an LED guide light for safety in the dark. This combination is ideal for installation in home and hotel bathrooms. A photo sensor turns the energy-efficient, long-life LED ON and OFF. Pilot light versions provide easy to see indication of power availability, and are ideal for basements and garages where power is supplied to sump pumps or appliances. Available in select Decora colors.

- Sensor provides automatic on/off based on ambient lighting
- Is energy-efficient, uses approx. 1 Watt of electricity - no bulbs to replace
- Saves space by eliminating the need to use an outlet for a plug-in night light
- Reduced depth of SmartlockPro Slim GFCI makes it easier to install in any electrical box, even shallow ones
- NOTE: Product may vary by store.

SPECIFICATIONS

Assembled Depth (in.)	1.32 in	Assembled Height (in.)	4.21 in
Assembled Width (in.)	1.69 in	Certifications and Listings	1-UL Listed,CSA Listed
Color Family	White	Color/Finish	White
Electrical Product Type	Outlet	Grounding	Self-Grounding
Hospital Grade	No	Indoor/Outdoor	Indoor
Manufacturer Warranty	2- Year Limited	Material	Thermoplastic
Maximum Amperage (amps)	15 A	Number of Outlets	2
Outlet Location	Wall	Outlet Type	Duplex
Package Quantity	1	Pop-Out	No
Product Depth (in.)	1.32	Product Height (in.)	4.21
Product Series	SmartLockPro	Product Weight (lb.)	.35
Product Width (in.)	1.69	Returnable	90-Day
Rotating	No	Surface Mount	Yes
Tamper Resistant	Yes	USB Port	No
Voltage (volts)	120	Wall Plate Included	No
Weather Resistant	No		

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

Leviton 15 Amp Combination Shallow Duplex Guidelight and GFCI Receptacle - White

Model # R12-X7592-00W Internet # 203908621
Store SKU # 163459

★★★★★ (5) | Write a Review

$17.86 / each

7 in Stock at Madison Heights #2731
Aisle 41 Bay 005
(change pick up store)

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

SmartlockPro GFCI protection teams with an LED guide light for safety in the dark. This combination is ideal for installation in home and hotel bathrooms. A photo sensor turns the energy-efficient, long-life LED ON and OFF. Pilot light versions provide easy to see indication of power availability, and are ideal for basements and garages where power is supplied to sump pumps or appliances. Available in select Decora colors.

- Sensor provides automatic on/off based on ambient lighting
- Is energy-efficient, uses approx. 1 Watt of electricity - no bulbs to replace
- Saves space by eliminating the need to use an outlet for a plug-in night light
- Reduced depth of SmartlockPro Slim GFCI makes it easier to install in any electrical box, even shallow ones
- NOTE: Product may vary by store.

SPECIFICATIONS

Assembled Depth (in.)	1.32 in	Assembled Height (in.)	4.21 in
Assembled Width (in.)	1.69 in	Certifications and Listings	1-UL Listed,CSA Listed
Color Family	White	Color/Finish	White
Electrical Product Type	Outlet	Grounding	Self-Grounding
Hospital Grade	No	Indoor/Outdoor	Indoor
Manufacturer Warranty	2- Year Limited	Material	Thermoplastic
Maximum Amperage (amps)	15 A	Number of Outlets	2
Outlet Location	Wall	Outlet Type	Duplex
Package Quantity	1	Pop-Out	No
Product Depth (in.)	1.32	Product Height (in.)	4.21
Product Series	SmartLockPro	Product Weight (lb.)	.35
Product Width (in.)	1.69	Returnable	90-Day
Rotating	No	Surface Mount	Yes
Tamper Resistant	Yes	USB Port	No
Voltage (volts)	120	Wall Plate Included	No
Weather Resistant	No		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)



Leviton 15 Amp Combination Shallow Duplex Guidelight and GFCI Receptacle - White

Model # R12-X7592-00W Internet # 203908621
Store SKU # 163459

★★★★★ (5) | Write a Review

$17.86 / each

7 in Stock at Madison Heights #2731
Aisle **41** Bay **005**
(change pick up store)

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

SmartlockPro GFCI protection teams with an LED guide light for safety in the dark. This combination is ideal for installation in home and hotel bathrooms. A photo sensor turns the energy-efficient, long-life LED ON and OFF. Pilot light versions provide easy to see indication of power availability, and are ideal for basements and garages where power is supplied to sump pumps or appliances. Available in select Decora colors.

- Sensor provides automatic on/off based on ambient lighting
- Is energy-efficient, uses approx. 1 Watt of electricity - no bulbs to replace
- Saves space by eliminating the need to use an outlet for a plug-in night light
- Reduced depth of SmartlockPro Slim GFCI makes it easier to install in any electrical box, even shallow ones
- NOTE: Product may vary by store.

SPECIFICATIONS

Assembled Depth (in.)	1.32 in	Assembled Height (in.)	4.21 in
Assembled Width (in.)	1.69 in	Certifications and Listings	1-UL Listed,CSA Listed
Color Family	White	Color/Finish	White
Electrical Product Type	Outlet	Grounding	Self-Grounding
Hospital Grade	No	Indoor/Outdoor	Indoor
Manufacturer Warranty	2- Year Limited	Material	Thermoplastic
Maximum Amperage (amps)	15 A	Number of Outlets	2
Outlet Location	Wall	Outlet Type	Duplex
Package Quantity	1	Pop-Out	No
Product Depth (in.)	1.32	Product Height (in.)	4.21
Product Series	SmartLockPro	Product Weight (lb.)	.35
Product Width (in.)	1.69	Returnable	90-Day
Rotating	No	Surface Mount	Yes
Tamper Resistant	Yes	USB Port	No
Voltage (volts)	120	Wall Plate Included	No
Weather Resistant	No		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

Liberty 3 in. Heavy-Duty Coat and Hat Decorative Hook in Matte Nickel

Model # B42302Q-SN-C5 Internet # 100170467
Store SKU # 709917

★★★★★ (5) | Write a Review | Ask a Question

$3.2

59 in
Aisle
(change

PRODU
Item ca

PRODUCT OVERVIEW

This 3 in. heavy duty hook is great for heavy garments or where increase cap will last for years to come. Perfect for use in bedrooms, bathrooms, and closets. Holds a maximum weight of 35 lbs. when mounted to solid wood or studs.

- Ideal for use in bedrooms, bathrooms, and closets
- Traditional design
- Matte nickel finish
- Mounting hardware and installation instructions included

SPECIFICATIONS

Assembled Depth (in.)	2.6 in	Assembled Height (in.)	3.7 in
Assembled Width (in.)	1 in	Color/Finish	Matte nickel
Manufacturer Warranty	Limited Lifetime Warranty	Returnable	30-Day
Storage Product Type	Wall Mounted Hooks		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

Liberty 3 in. Satin Nickel Cabinet Pulls (10-Pack)

Model # P13101L-SN-U1 Internet # 202824464
Store SKU # 731819

★★★★★ (12) | Write a Review | Ask & Answer (2)

$15.98 / package

37 in Stock at Madison Heights #2731
Aisle 57 Bay 004
(change pick up store)

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

The Liberty 3 in. Satin Nickel Cabinet Pulls (10-Pack) feature a sturdy die-cast zinc construction for durability. Ideal for use as an accent for kitchen or bathroom cabinetry or furniture. Mounting hardware included for easy installation.

- Ideal for use with kitchen cabinets
- Die-cast zinc construction
- Satin nickel finish
- Screws included for easy installation
- Includes 10 cabinet pulls

SPECIFICATIONS

Assembled Depth (in.)	.77 in	Assembled Height (in.)	.43 in
Assembled Width (in.)	4.06 in	Builders Hardware Product Type	Cabinet Pull
Cabinet Pull Type	Handle/Bar Pull	Center to Center Measurement (inches)	3
Center to Center Measurement (mm)	76	Finish	Satin Nickel
Finish Family	Nickel	Manufacturer Warranty	Limited Lifetime Warranty
Material	Metal	Package Quantity	10
Projection	.09 in	Pull Size (In.)	3.3
Returnable	90-Day	Style	Modern
Value Pack	Yes		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

Lithonia Lighting 4 ft. Wraparound Fluorescent Ceiling Fixture

Model # SB 2 32 120 GESB Internet # 100427375
Store SKU # 138633

★★★★½ (42) | Write a Review | Ask & Answer (23)

$32.97 / each

6 in Stock at Madison Heights #2731
Aisle 43 Bay 010
(change pick up store)

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

The hinged diffuser design of the Lithonia Lighting 4 ft. Wraparound Fluorescent Ceiling Fixtures offers easy maintenance and cleaning. These fixtures feature durable plastic construction and an instant-on ballast to help prevent flickering. This fixture uses 2 (32W) T8 Bulbs (not included).

- Plastic construction
- White color
- Energy-efficient fluorescent fixture
- Hinged diffuser design offers easy maintenance and cleaning
- Diffuser has side prisms to help control brightness and bottom prisms to reduce lamp images
- Instant-on ballast eliminates flickering and humming
- Residential electronic ballast does not interfere with other electronic equipment
- Use for residential and light commercial applications
- UL listed

SPECIFICATIONS

Accessory Type	Wrap	Actual Color Temperature (K)	4100
Assembled Depth (in.)	2.875 in	Assembled Height (in.)	48 in
Assembled Width (in.)	8.33 in	Certifications and Listings	1-UL Listed,CSA Listed
Color Family	White	Color Rendering Index	0
Commercial Light Type	Wraparound	Dimmable	No
Fixture Color/Finish Family	Whites	Length/circumference (in.)	48
Light Bulb Base Code	Bi-Pin	Manufacturer Warranty	Guaranteed for one year against mechanical defects in manufacture.
Material	Metal	Number in Pack	1.0
Number of Bulbs Required	2	Product Depth (in.)	48 in
Product Height (in.)	2.88 in	Product Weight (lb.)	3 lb
Product Width (in.)	8.31 in	Required bulb type	T8
Returnable	90-Day	Style	Traditional

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

American Originals Natural Red Oak 3/4 in. Thick x 2-1/4 in. Wide Solid Hardwood Flooring (20 sq. ft. / case)

Model # SHD2210 Internet # 204468560 Store SKU # 1000019492
Store SO SKU # 1000024616

$4.59 / s
$91.80 / c

Select a S

PRODUC
Item cann

PRODUCT OVERVIEW

With the Bruce Natural Red Oak 3/4 in. x 2-1/4 in. Solid Hardwood Flooring, yo
strips have micro edges and square ends for a classic, linear look. It has the Bruce DuraShield finish for durability and beauty.

- Real Domestic Oak Hardwood
- 3/4 in. Thickness x 2-1/4 in. Width x Varying Length Planks
- 20 sq. ft. per case. Case weight: 60 lb.
- Construction: Solid Hardwood Flooring
- Prefinished, Bruce, Light Color, High Gloss, Traditional finish
- Planks have micro edges and square ends
- Janka wood hardness rating/resistance to denting: 1290
- Appropriate Grade for Installation: Above or On Grade
- Installation: Nail down
- Residential
- Lifetime residential finish warranty

SPECIFICATIONS

Assembled Depth (in.)	84 in	Assembled Height (in.)	.75 in
Assembled Width (in.)	2.25 in	Board Form	Strip
Can Be Used Below Grade	No	Color	Natural
Color Family	Wood Grain	Commercial / Residential	Residential
Indoor/Outdoor	Indoor	Manufacturer Warranty	Lifetime Residential Finish Warranty
Plank Width (in.)	3.25	Prefinished	Yes
Product Length (in.)	84	Product Thickness (in.)	.75 in
Product Weight (lb.)	4	Product Width (in.)	2.25
Returnable	90-Day	Square Feet per Box (sq.ft.)	20
Thickness	.75 in		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

MOEN Brantford Posi-Temp Tub and Shower Trim in Brushed Nickel

Model # T2153BN Internet # 100672496 Store SO SKU # 477898

★★★★★ (21) | Write a Review | Ask & Answer (14)

$137.25 / each

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): GU,VI

PRODUCT OVERVIEW

The MOEN Brantford Posi-Temp Tub and Shower Trim in Brushed Nickel is a trim kit for a single-handle tub and shower valve. This kit features cast-metal construction with a brushed nickel finish.

- Due to WaterSense regulations in the state of New York, please confirm your shipping zip code is not restricted from use of items which do not meet WaterSense qualifications
- Trim kit for a tub and shower valve
- For use with rough-in valve models 2510, 2520, 2570 or 2590 (not included)
- Cast-metal construction with a brushed nickel finish
- Single handle

SPECIFICATIONS

Assembled Depth (in.)	7.88 in	Assembled Height (in.)	4.5 in
Assembled Width (in.)	7.75 in	Bath Faucet Type	Combo Tub and Shower
Certifications and Listings	ADA Compliant	Color Family	Nickel
Color/Finish	Brushed Nickel	Color/Finish Family	Nickel
Color/Finish Family	Nickel	Connection Size	1/2
Diverter type	Plunger	Faucet type	Bath Faucet
Features	Self-cleaning Nozzles	Fits Faucet Brand	Moen
Flow rate (gallons per minute)	2.5	Handle type	Lever
Manufacturer Warranty	Limited lifetime warranty	Material	Cast Metal
Number of Faucet Handles	Single Handle	Number of Spray Settings	1
Plumbing Part Type	Trim Kit	Returnable	90-Day
Showerhead face diameter (in.)	3.5	Showerhead type	Fixed Mount
Spout Reach (in.)	7.813 in	Style	Classic
Trim Type	Faucet		

SHIPPING OPTIONS

Most orders process within 1 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

This item is also available for pick up in your local store (FREE) within 4-7 business days, plus order processing time.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

MS International White Double Bevelled Threshold 2 in. x 36 in. Polished Marble Floor & Wall Tile

Model # THD1WH2X36DB Store SKU # 160706

★★★★☆ (1) | Write a Review | Ask & Answer (1)

$7.97 / each

28 in Stock at Madison Heights #2731
Aisle 07 Bay 012
(change pick up store)

PRODUCT SOLD : In Store Only
Item cannot be shipped to the following state(s): AK,HI

PRODUCT OVERVIEW

M S International White Double Bevelled Threshold 2 In. x 36 In. Polished Marble Floor & Wall Tile is a tile designed to complement various installations in different rooms

- Natural Stone Marble Tile
- 36 in. length x 2 in. wide x 5/8 in. thick
- Smooth finish with a high polish and random appearance in tone
- Impervious flooring has water absorption of less than 0.5% for indoor use
- C.O.F. greater than .50 is recommended for standard residential applications and is marginally skid resistant. Indoor use
- Non frost resistant for indoor applications; use a latex-modified thinset for acceptable bond strength
- Residential and commercial use
- Genuine Stone
- 1 tile per case. Case weight is 4.2 lb.
- CLICK HERE to learn how to get a Lifetime Warranty by using Custom Building Products from The Home Depot.
- Product Image
- Don't forget your coordinating trim pieces, grout, backerboard, thinset and installation tools
- This is a GREENGUARD Indoor Air Quality Certified® and GREENGUARD Children & Schools CertifiedSM product

SPECIFICATIONS

Assembled Depth (in.)	36 in	Assembled Height (in.)	.625 in
Assembled Width (in.)	2 in	Color Family	Whites
Color/Finish	White	Commercial / Residential	Commercial / Residential
Indoor/Outdoor	Indoor	Manufacturer Warranty	None
Mosaic	No	Mosaic Sub Unit Length (in.)	Not a Mosaic
Mosaic Sub Unit Width (in.)	Not a Mosaic	Number of Tiles per Case	1.0
Product Length (in.)	36	Product Thickness (in.)	.62 in
Product Width (in.)	2.0	Square Feet per Piece	.5
Tile Material	Marble	Tile Type	Trims

SHIPPING OPTIONS

Store Exclusive. This item is available for purchase in select stores only.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Millstead Red Oak Natural 3/4 in. Thick x 3 1/4 in. Width x Random Length Solid Hardwood Flooring (20 sq. ft. / case)

Model # PF7108 Internet # 202103108 Store SKU # 834432
Store SO SKU # 887262

★★★★☆ (11) | Write a Review | Ask & Answer (2)

$4.89 / sq. ft.
$97.80 / case (covers 20.0 sq. ft.)

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

This durable pre finished Solid real oak floor is made of 3/4 in. thick sawn solid wood and features mother nature's naturally occurring beauty marks such as distinctive color variation, knots and mineral streaks. Plank length is totally random and varies based upon the yield of each tree. The Aluminum Oxide finish provides 10 times more abrasion resistance than ordinary urethane finishes. Our flooring is proudly crafted in the U.S.A. from wood grown and responsibly harvested in the U.S.A. Expertise and experience assure a beautiful, high quality floor. Our company has been manufacturing wood floors to exacting standards in Johnson City, Tennessee for over 110 years.

California residents: seeProposition 65 information

- Wood Species: Real domestic oak hardwood
- 3/4 in. thick x 3 1/4 in. width x random length planks
- 20 sq. ft. / case. Case weight 72 lb.
- Construction: Solid oak wood flooring
- Plank have a beveled edge
- Janka wood hardness rating/resistance to denting: 1290
- Appropriate Grade for Installation: Above Grade or On Grade
- Installation: Nail down
- Residential use
- 30 year finish warranty and lifetime structural manufacturer's warranty
- Pre finished solid natural light color, clear finish
- Don't forget your coordinating trim and moldings
- Shipping: All online orders for this item ship via parcel ground and may arrive in multiple boxes

SPECIFICATIONS

Assembled Depth (in.)	85 in	Assembled Height (in.)	4 in
Assembled Width (in.)	3.25 in	Board Form	Solid
Can Be Used Below Grade	No	Color	Natural
Color Family	Wood Grain	Commercial / Residential	Residential
Indoor/Outdoor	Indoor	Manufacturer Warranty	30-year finish warranty and lifetime structural manufacturer's warranty
Plank Width (in.)	3.25	Prefinished	Yes
Product Length (in.)	78	Product Thickness (in.)	0.75 in

Product Weight (lb.)	72	Product Width (in.)	3.25
Returnable	90-Day	Square Feet per Box (sq.ft.)	20
Thickness	0.75 in		

SHIPPING OPTIONS

Most orders process within 1 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

Oatey Washing Machine Outlet Box with 3/4 in. x 3/4 in. Brass MPT x MPT 1/4-Turn Ball Valves

Model # 38398 Internet # 100342758 Store SKU # 721539

★★★☆☆ (1) | Write a Review

$23.47 / each

8 in Stock at Madison Heights #2731
Aisle **11** Bay **013**
(change pick up store)

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s):
AK,CA,GU,HI,PR,VI,VT

PRODUCT OVERVIEW

This Oatey Washing Machine Outlet Box with 3/4 in. x 3/4 in. Brass MPT x MPT 1/4-Turn Ball Valves features a box design that allows for left- and right-side drain openings to help eliminate crossed piping inside the stud bay. Oatey supply boxes can be used in commercial or residential applications that require supply valves and waste drain recessed into the wall. Available in fire-rated, round and other configurations.

- Polystyrene box construction is high impact
- High-quality 1/4-turn brass ball valves for easy on and off of the water supply
- Use in your laundry or utility room to provide a clean installation of your washing machine water supply and drainage
- White box and cover plate coordinate with many decors and provide a clean and attractive finish in your laundry room
- Box design allows for left- and right-side drain openings to help eliminate crossed piping inside the stud bay
- Recessed box installation
- Red-colored valve for hot water and blue-colored valve for cold water supply
- Includes a test cap for pressure testing of the drain system if required
- Made in USA

SPECIFICATIONS

Assembled Depth (in.)	8.6 in	Assembled Height (in.)	3.9 in
Assembled Width (in.)	10.25 in	Can be wallpapered	No
Color Family	Whites	Maintenance, Repair & Supplies Product Type	Access Panels
Manufacturer Warranty	2 years	Material	Brass
Paintable/Stainable	No	Product Height (in.)	10.5
Product Width (in.)	4	Returnable	90-Day
Type	Wall	UV Stabilized	No

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Progress Lighting Brushed Nickel 3-light Flushmount

Model # P3926-09 Internet # 202700169 Store SO SKU # 716707

★★★★★ (5) | Write a Review | Ask & Answer (4)

$41.67 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

Traditional style ceiling fixture with a domed, etched glass diffuser. Decorative ceiling pan transitions nicely to glass shade which is held in place with a matching metal finial. Safety listed for use in damp locations such as bathrooms.

- Brushed Nickel finish
- Alabaster glass
- 15-1/4 In. Diameter x 6-5/8 In. Height
- Uses (3) 60-watt medium base bulbs (not included)

SPECIFICATIONS

Adjustable Lamp Head	No	Assembled Depth (in.)	15.25 in
Assembled Height (in.)	6.625 in	Assembled Width (in.)	15.25 in
Certifications and Listings	1-UL Listed,CSA Listed	ENERGY STAR Certified	No
Fixture Color/Finish Family	Nickel	Hardwired or Plug-In	Hardwired
Light Bulb Base Code	Medium	Light Source	Incandescent
Manufacturer Warranty	1-year limited warranty	Mounting type	Flush Mount
Number of Bulbs Required	3	Product Weight (lb.)	6
Recommended bulb type	A	Returnable	90-Day
Shade Diameter (in.)	15.25	Shade Material	Glass
Wattage (watts)	60		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Progress Lighting Inspire Collection Brushed Nickel 4-Light Vanity Fixture

Model # P2021-09 Internet # 203229087

★★★★★ (7) | Write a Review | Ask & Answer (2)

$99.18 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): GU,PR,VI

PRODUCT OVERVIEW

Harkening back to a simpler time, the Inspire Collection freshens traditional forms with flowing lines. Oval metal arms gracefully support etched glass shades. Fixture can be installed facing up or down to suit your preference.

- Brushed nickel finish
- Etched glass
- 31-3/8 in. Width x 8-1/2 in. Height
- Uses (4) 100-watt medium base bulbs (not included)
- Fixture mounts in up or down position; Listed for damp locations

SPECIFICATIONS

Adjustable Lamp Head	No	Assembled Depth (in.)	6.875 in
Assembled Height (in.)	8.5 in	Assembled Width (in.)	31.375 in
Certifications and Listings	1-UL Listed,CSA Listed	ENERGY STAR Certified	No
Fixture Color/Finish Family	Nickel	Fixture Material	metal
Fixture depth (in.)	6.875	Fixture height (in.)	8.5
Fixture width (in.)	31.375	Hardwired or Plug-In	Hardwired
Manufacturer Warranty	1-year limited warranty	Mounting type	Semi-Flush Mount
Number of Bulbs Required	4	Product Weight (lb.)	11
Recommended bulb type	A	Returnable	90-Day
Shade Diameter (in.)	4.75	Shade Material	Glass
Wattage (watts)	100 W		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

More saving.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help Cart

CLOSE

Shop By Depai

Home

Searc

Results |

PRODUCT

Products (

DEPARTM

Bath (1)

Flooring (1

PRICE

$0 - $1

$50 - $

Set custom price range.

$ to $ GO

BRAND –

Lenape (1)

Nourison (1)

HOW TO GET IT –

Free Shipping With $45 Order (1)

REVIEW RATING –

& Up (1)

& Up (1)

& Up (1)

& Up (1)

Not Yet Rated (1)

MORE WAYS TO SHOP –

Most Popular

Lenape4-1/4 in. x 6-1/4 in. White Ceramic Soap Dish and Cloth Holder

Model # 178701 Internet # 100049196 Store SKU # 974072

4.7/5 9 Reviews

$9.97 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s):
AK,GU,HI,PR,VI

Description:
Experience the beautiful rich luster of genuine white porcelain. High firing to 2200 degrees creates a fully vitreous body that will never rust, fade, tarnish or corrode. Simple to install with any ceramic tile project this soap dish with cloth holder will enhance any bathroom remodel, large or small. Our porcelain bath accessories are easy to clean with a damp cloth.

View full product details

Quantity: 1

Ship to Home
Free (with $45 Order)
Est. Arrival Date:
APR 1 - APR 3

Pick Up Today
Free

+ ADD TO CART

ADD TO LIST

$9.97

Lenape 4-1/4 in. x 6-1/4 in. White Ceramic Soap Dish and Cloth Holder

Model # 178701

(9)

• Ship to Home
Free with $45 Order

Select a Store to confirm item pick up options

ADD TO CART

$88.97

Nourison Persian Crown Picard Black 2 ft. 2 in. x 7 ft. 6 in. Runner

Model # 178701

• Price includes shipping

Select a Store to confirm item pick up options

ADD TO CART

Select 2 to 4 Items to Compare COMPARE

View: Grid | List Sort By: Best Matc Results Per Page: 24 1

Search Feedback

Did you find what you were looking for?

RECOMMENDATIONS BASED ON YOUR BROWSING HISTORY

$11.40

Design House Springdale Satin Nickel Dummy Lever

(1)

ADD TO CART

$25.08

Design House Springdale Satin Nickel Privacy...

ADD TO CART

$33.77

Design House Springdale Satin Nickel Entry Lever...

ADD TO CART

$25.21

Design House Springdale Brushed Bronze Privacy...

(5)

ADD TO CART

RECENTLY VIEWED ITEMS

1 of 3

Design House Springdale Satin Nickel Privacy Lever

Design House Springdale Satin Nickel Passage Lever

JELD-WEN Craftsman Smooth 3-Panel Solid Core...

Eglo Troy 3 - 1-Light Hanging Matte Nickel...

Credit Center
Special Financing Available Everyday*
See Offer & Details
Make a Payment

Get It Installed
The Home Depot makes home installation and repair easy.
Get Started with Installation Services & Repair

Moving Services
Find everything you need for your move.
Get Started

Tool & Truck Rental
The Home Depot offers afford-able rental rates.
Explore Rentals

Mobile Apps
More saving. More doing.On the go.
Learn More

Super savings and terrific tips delivered to your email inbox.
Enter Email Address

Visit and like us on Facebook
Stay connected with us on Twitter
Follow our Pinterest boards for projects and inspiration
Get the latest products, project tips and ideas
View DIY projects and product videos

Can't find what you're looking for? Please call us:
1-800-HOME-DEPOT
1-800-(466-3337)

DEPARTMENTS

Appliances
Bath
Building Materials
Décor
Doors & Windows
Electrical
Flooring
Heating & Cooling
Kitchen
Lighting & Fans
Lumber & Composites
Outdoors
Paint
Plumbing
Storage & Organization
Tools & Hardware

ONLINE RESOURCES

Gift Cards
Shipping & Delivery
Savings Center
Project: How-To
Rebate Finder
Store Information
Eco Options
Gift Center
Product Recalls

OUR SITES

Home Decorators Collection
Home Depot Measurement Services
RedBeacon
The Home Depot Canada
The Home Depot Mexico

POLICIES

Price Match & New Low Prices Policy
Return Policy
Pick-up in Store Policy
Protection Plans
California Rights & Regulations
Privacy & Security Statement

CORPORATE INFORMATION

Careers
Corporate Information
Home Depot Foundation
Government Customers
Investor Relations
Suppliers & Providers
Affiliate Program

MY ACCOUNT

Orders Status
Account Profile
My Lists
My Project Lists
Credit Center

HELP

CONTACT

FAQ

Mobile Site | **Site Map**

† Local store prices may vary from those displayed. Products shown as available are normally stocked but inventory levels cannot be guaranteed. © 2000-2013 Homer TLC, Inc. All Rights Reserved. Use of this site is subject to certain **Terms of Use** which constitute a legal agreement between you and The Home Depot U.S.A. Inc.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

Swanstone Contour 49 in. Solid Surface Vanity Top in White with White Basin

Model # CV2249-010 Internet # 100081531

★★★★☆ (41) | Write a Review

$310.00 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online Only
Item cannot be shipped to the following state(s): GU,VI

PRODUCT OVERVIEW

The Swanstone Contour 49 in. Solid Surface Vanity Top in White with White Basin offers a contemporary style with a sweeping bowl design that can give your bathroom a refreshing, new appearance. This vanity top features multiple drill points that allow you to choose the faucet style that best fits your design parameters (faucet sold separately). The solid surface material resists damage caused by acetone, hot curling irons, makeup or hair dye, ensuring long-lasting use and easy upkeep. An included backsplash helps protect the wall and vanity back from water damage.

- Faucet and drain shown in image not included
- 49 in. W x 22 in. D vanity top provides ample room for your accessories
- Solid surface vanity top includes a basin for washing and other tasks
- Bowl dimensions: 13 in. x 20-1/8 in. x 5-1/2 in.
- Included 3 in. backsplash helps prevent water damage to wall and vanity back
- Built-in overflow helps keep water inside the basin
- Pre-drilled single-hole drilling with additional drill points underneath to accommodate most faucet styles
- Solid surface material not easily harmed by acetone, hot curling irons, makeup or hair dye
- Easy to clean and maintain
- White color can complement most decorating styles

SPECIFICATIONS

Assembled Depth (in.)	22 in	Assembled Height (in.)	10.25 in
Assembled Width (in.)	49 in	Backsplash height (in.)	3.0
Basin Depth (in.)	5.5	Basin Length (in.)	13
Basin Width (in.)	20.125	Basin color	White
Basin material	Composite	Color	White
Color Family	White	Color/Finish	White
Edge thickness (cm.)	1.0	Edge type	Flat
Faucet Hole Spacing (in.)	4 In. Centerset,4 In. Minispread,8 in. Widespread,No Spacing - Single Hole	Faucet accommodations	Accommodates all faucet types
Material	Composite	Material	Solid surface materials

Product Depth (in.)	22	Product Weight (lb.)	32
Product Width (in.)	49	Returnable	90-Day
Sink Type	Countertop	Top depth (in.)	22
Top width (in.)	49	Vanity Included Components	Basin Included
Vanity Type	Single Basin	Vanity top accommodations	Single center set basin
Width (in.)	49		

SHIPPING OPTIONS

Most orders process within 1 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Your Store:
Madison Heights #2731 (Change)

TrafficMASTER Sahara 12 in. x 12 in. Beige Ceramic Floor Tile

Model # LSAA91L7 Store SKU # 222325

★★★★★ (4) | Write a Review | Ask & Answer (3)

$0.57 / sq. ft.
$8.55 / case (covers 15.0 sq. ft.)

194 in Stock at Madison Heights #2731
Aisle E1 Bay 020
(change pick up store)

PRODUCT SOLD : In Store Only

PRODUCT OVERVIEW

This Trafficmaster Sahara 12 in. x 12 in. Beige Ceramic Floor Tile features a blend of neutral colors designed to mimic the variation found in natural stone for the same rustic appeal without the maintenance. The random color veining helps coordinate with a variety of decorating elements to complement or contrast as desired to suit your taste. Resistant to staining and scuffing, the tile offers easy maintenance and is great for indoor applications in commercial or residential areas like kitchens, entrances or other traffic and transition areas to withstand heavy foot traffic and dirt.

- Grade 1, ceramic tile for floor use
- 12 in. long x 12 in. wide x 9/32 in. thick
- Glazed smooth finish with a low sheen and a random variation in tone
- P.E.I. Rating IV has high resistance to abrasion and is suitable for heavy-duty residential and commercial floor installations, such as entrances, commercial kitchens, hotels and exhibition and sales rooms with some dirt conditions
- Semi-vitreous tile has water absorption of more than 3% but less than 7% for indoor use
- Slip-resistance/Coefficient of Friction rating of .53 wet is marginally skid resistant for indoor use and is recommended for standard residential applications
- 15 sq. ft., 15 pieces per case
- Don't forget your coordinating trim pieces, grout, backer board, thinset and installation tools
- All online orders for this item ship via parcel ground and may arrive in multiple boxes
- CLICK HERE to learn how to get a Lifetime Warranty by using Custom Building Products from The Home Depot.
- Don't forget your coordinating trim pieces, grout, backer board, thinset and installation tools

SPECIFICATIONS

Assembled Depth (in.)	0.287 in	Assembled Height (in.)	12 in
Assembled Width (in.)	12 in	Break Strength (lb.)	316 lb
Chemical Resistant	Yes	Color Family	Beige / Cream
Color/Finish	Beige	Commercial / Residential	Commercial / Residential
Glazed	Yes	Indoor/Outdoor	Indoor
Manufacturer Warranty	free from material and manufacturer defects at time of purchase	Mosaic	No
Mosaic Sub Unit Length (in.)	Not a Mosaic	Mosaic Sub Unit Width (in.)	Not a Mosaic
Number of Tiles per Case	15	Product Length (in.)	12
Product Thickness (in.)	0.287 in	Product Width (in.)	12
Rectified Edge	Yes	Square Feet per Piece	1
Tile Material	Ceramic	Tile Type	Ceramic

SHIPPING OPTIONS

Store Exclusive. This item is available for purchase in select stores only.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

U.S. Ceramic Tile 2 in. x 6 in. Bright Black Ceramic Surface Bullnose Wall Tile

Model # U759-S4269-1 Internet # 100201066 Store SKU # 874379
Store SO SKU # 907375

★★★★☆ (7) | Write a Review

$1.49 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

This U.S. Ceramic Tile 2 in. x 6 in. Bright Black Ceramic Surface Bullnose Wall Tile is suitable for use in interior wall applications including kitchen backsplashes and shower walls. The tile has a single rounded edge for finishing a tiled row, perfect for a counter edge. You can use the piece for exterior walls in non-freezing climates if desired. Coordinate with matching corner pieces or trim, or with different colors for the look you want in your space. This tile is certified by the American National Standards Institute (ANSI).

- Grade 1, ceramic tile for walls, backsplashes and countertops
- 2 in. long x 6 in. wide x 1/4 in. thick
- Glazed smooth finish with a medium sheen and a uniform appearance in tone
- P.E.I. Rating 0 is suitable for walls and residential use only
- Non-vitreous tile has water absorption of more than 7% for indoor use
- Suitable for exterior walls in non-freezing climates only
- Don't forget your coordinating trim pieces, grout, backer board, thinset and installation tools
- All online orders for this item ship via parcel ground and may arrive in multiple boxes
- Sold by the piece. 0.23lb per piece
- CLICK HERE to learn how to get a Lifetime Warranty by using Custom Building Products from The Home Depot.
- Don't forget your coordinating trim pieces, grout, backerboard, thinset and installation tools
- Don't forget your coordinating trim pieces, grout, backerboard, thinset and installation tools
- All online orders for this item ship via parcel ground and may arrive in multiple boxes
- Sold by the piece. 0.23lb per piece

SPECIFICATIONS

Assembled Depth (in.)	0.25 in	Assembled Height (in.)	2 in
Assembled Width (in.)	6 in	Break Strength (lb.)	350 lb
Chemical Resistant	Yes	Color Family	Blacks
Color/Finish	Black	Commercial / Residential	Commercial / Residential
Glazed	Yes	Indoor/Outdoor	Indoor
Manufacturer Warranty	The Roca Tile Group warrants that its First Quality (i.e. Standard Grade) ceramic tile is manufactured according to ANSI A137.1.1988 and meet or exceed those requirements. This warranty does not apply to tile sold as	Mosaic	No

	economies or seconds.		
Number of Tiles per Case	1	Product Length (in.)	2
Product Thickness (in.)	0.25 in	Product Width (in.)	6
Rectified Edge	No	Returnable	90-Day
Square Feet per Piece	.0833	Tile Material	Ceramic

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)

U.S. Ceramic Tile Bright Snow White 2 in. x 6 in. Ceramic Bullnose Radius Cap Wall Tile

Model # U072-A4200-1 Internet # 100196598 Store SKU # 882984
Store SO SKU # 907375

★★★★★ (2) | Write a Review

$0.77 / each

Select a Store to confirm item pick up options

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

This U.S. Ceramic Tile Bright Snow White 2 in. x 6 in. Ceramic Bullnose Radius Cap Wall Tile features a glazed finish with a beautiful semi-gloss sheen to enhance any tiled layout and is suitable for interior wall applications including kitchen backsplashes, as well as countertops and shower walls. Choose matching trim or contrasting colors to create a more traditional or more creative, customized design to suit your space. This tile is certified by the American National Standards Institute (ANSI).

- Grade 1, ceramic tile for walls, backsplashes and countertops
- 6 in. length x 2 in. wide x 1/4 in. thick
- Glazed smooth finish with a medium sheen and a uniform appearance in tone
- 0.1042 sq.ft. per piece, sold as an each, weight is 0.25 lb
- P.E.I. Rating 0 is suitable for walls and residential use only
- Non-vitreous tile has water absorption of more than 7% for indoor use
- Coefficient of friction not applicable, wall use only
- Not frost resistant
- This item is suitable for residential and commercial wall installations only
- Learn how to get a Lifetime Warranty by using Custom Building Products from The Home Depot. Visit www.homedepot.com/CBP
- Don't forget your coordinating trim pieces, grout, backerboard, thinset and installation tools

SPECIFICATIONS

Assembled Depth (in.)	0.25 in	Assembled Height (in.)	2 in
Assembled Width (in.)	6 in	Break Strength (lb.)	350 lb
Chemical Resistant	Yes	Color Family	Whites
Color/Finish	Snow White	Commercial / Residential	Commercial / Residential
Glazed	Yes	Indoor/Outdoor	Indoor
Manufacturer Warranty	The Roca Tile Group warrants that its First Quality (i.e. Standard Grade) ceramic tile is manufactured according to ANSI A137.1.1988 and meets or exceeds those requirements. This warranty does not apply to tile sold as economies or seconds.	Mosaic	No
Mosaic Sub Unit Length (in.)	N/A	Mosaic Sub Unit Width (in.)	N/A

Number of Tiles per Case	1	Product Length (in.)	2
Product Thickness (in.)	0.25 in	Product Width (in.)	6
Rectified Edge	No	Returnable	90-Day
Square Feet per Piece	.1042	Tile Material	Ceramic
Tile Type	Ceramic		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.

FREE SHIP TO STORE† OR HOME* ON OVER 400,000 ITEMS*. NEED IT NOW? BUY ONLINE AND PICK UP IN STORE†.

PRO Site | Tool & Truck Rental | Installation Services and Repair | Gift Cards | Help

More saving. More doing.

Select Your Local Store (Why?)



U.S. Ceramic Tile Color Collection Bright Snow White 12 in. x 12 in. Brick Mosaic Tile

Model # U072-12M Internet # 203223650 Store SKU # 127844
Store SO SKU # 907375

★★★★½ (10) | Write a Review

$2.78 / sq. ft.
$2.78 / each (covers 1.0 sq. ft.)

Select a Store to confirm item pick up options

PRODUCT SOLD : Online & In Store
Item cannot be shipped to the following state(s): AK,GU,HI,PR,VI

PRODUCT OVERVIEW

The Bright Snow White 12 in. x 12 in. Brick Mosaic (Mesh Mounted) Floor and Wall Tile, belongs to our color collection series. This tile is a glazed white body ceramic. It has a slight textured finish, with a uniform appearance in tone. Mesh mounted design allows for installation in a variety of creative patterns, as well as a traditional subway layout. This particular series is suitable for both residential and commercial installations.

- Grade 1, ceramic tile for wall and countertop use
- 12 in. long x 12 in. wide x 5/16 in. thick
- Glazed smooth finish with a medium sheen and a slight variation in tone
- Each piece covers 1.00 sq. ft. weighing 2.381 lb.
- P.E.I. rating 0
- Coefficient of friction not applicable, wall use only
- Non-vitreous tile has water absorption of more than 7%
- Not frost resistant
- This item is suitable for residential and commercial wall installations only
- CLICK HERE to learn how to get a Lifetime Warranty by using Custom Building Products from The Home Depot.
- Don't forget your coordinating trim pieces, grout, backerboard, thinset and installation tools
- All online orders for this item ship via parcel ground and arrive in multiple boxes
- Easy to clean and maintain
- Please inspect all tiles prior to installation; installation constitutes acceptance
- Please keep in mind, shade and variation is an inherent characteristic of any tile

SPECIFICATIONS

Assembled Depth (in.)	0.25 in	Assembled Height (in.)	12 in
Assembled Width (in.)	12 in	Break Strength (lb.)	300 lb
Chemical Resistant	No	Color Family	Whites
Color/Finish	Snow White	Commercial / Residential	Commercial / Residential
Glazed	Yes	Indoor/Outdoor	Indoor/Outdoor
Manufacturer Warranty	The Roca Tile Group warrants that its First Quality (i.e. Standard Grade) ceramic tile is manufactured according to ANSI A137.1.1988 and meets or exceeds those requirements. This warranty does not apply to tile sold as	Mosaic	Yes

	economies or seconds.		
Mosaic Sub Unit Length (in.)	12	Mosaic Sub Unit Width (in.)	12
Number of Tiles per Case	11	Product Length (in.)	12
Product Thickness (in.)	12 in	Product Width (in.)	.25
Rectified Edge	No	Returnable	90-Day
Square Feet per Piece	1	Tile Material	Ceramic
Tile Type	Mosaic		

SHIPPING OPTIONS

Most orders process within 3 business days.

Please allow 3 to 5 business days for **Standard Shipping** in addition to order processing time, which varies by product. Items deliver by small parcel service.
Orders for this item may be expedited for an additional fee.

Other Delivery Options:

Expedited Shipping: Delivery the second business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

Express Shipping: Delivery the next business day in addition to order processing time, which varies by product. Items deliver by small parcel service.

If product is eligible for shipping to AK, HI and US Territories additional transit time and remote surcharges may apply.